

Date: 26/05/2024



Aakash

Medical | IIT-JEE | Foundations

Corporate Office : Aakash Tower, 8, Pusa Road, New Delhi-110005 | Ph.: 011-47623456

Time : 3 hrs.

Questions & Answers

Max. Marks: 180

for

JEE (Advanced)-2024 (Paper-1)

PART-I : MATHEMATICS

SECTION 1 (Maximum Marks : 12)

- This section contains **FOUR (04)** questions..
- Each question has **FOUR** options (A), (B), (C) and (D). **ONLY ONE** of these four options is the correct answer.
- For each question, choose the option corresponding to the correct answer.
- Answer to each question will be evaluated according to the following marking scheme:

Full Marks : +3 If **ONLY** the correct option is chosen;

Zero Marks : 0 If none of the options is chosen (i.e. the question is unanswered);

Negative Marks : -1 In all other cases.

1. Let $f(x)$ be a continuously differentiable function on the interval $(0, \infty)$ such that $f(1) = 2$ and

$$\lim_{t \rightarrow x} \frac{t^{10}f(x) - x^{10}f(t)}{t^9 - x^9} = 1$$

for each $x > 0$. Then, for all $x > 0$, $f(x)$ is equal to

(A) $\frac{31}{11x} - \frac{9}{11}x^{10}$

(B) $\frac{9}{11x} + \frac{13}{11}x^{10}$

(C) $\frac{-9}{11x} + \frac{31}{11}x^{10}$

(D) $\frac{13}{11x} + \frac{9}{11}x^{10}$

Answer (B)

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper

1
ALL INDIA FEMALE TOPPER
AIR 34

100
PERCENTILE OVERALL
Sanvi Jain
4 Year Classroom

Telangana Topper

AIR 15

100
PERCENTILE OVERALL
M. Sai Divya Teja Reddy
2 Year Classroom

Telangana Topper

AIR 19

100
PERCENTILE OVERALL
Rishi Shekher Shukla
2 Year Classroom

Punjab Topper

AIR 25

100
PERCENTILE OVERALL
Rachit Aggarwal
4 Year Classroom



Tanishka Kabra
4 Year Classroom
ALL INDIA RANK (Female) 1
AIR-16 CRL JEE (Adv.) 2022



Chirag Falor
4 Year Classroom
1
AIR JEE (Adv.) 2020

2. A student appears for a quiz consisting of only true-false type questions and answers all the questions. The student knows the answers of some questions and guesses the answers for the remaining questions. Whenever the student knows the answer of a question, he gives the correct answer. Assume that the probability of the student giving the correct answer for a question, given that he has guessed it, is $\frac{1}{2}$. Also assume that the probability of the answer for a question being guessed, given that the student's answer is correct, is $\frac{1}{6}$. Then the probability that the student knows the answer of a randomly chosen question is

- (A) $\frac{1}{12}$ (B) $\frac{1}{7}$
(C) $\frac{5}{7}$ (D) $\frac{5}{12}$

Answer (C)

3. Let $\frac{\pi}{2} < x < \pi$ be such that $\cot x = \frac{-5}{\sqrt{11}}$. Then $\left(\sin \frac{11x}{2}\right)(\sin 6x - \cos 6x) + \left(\cos \frac{11x}{2}\right)(\sin 6x + \cos 6x)$ is equal to

- (A) $\frac{\sqrt{11}-1}{2\sqrt{3}}$ (B) $\frac{\sqrt{11}+1}{2\sqrt{3}}$
(C) $\frac{\sqrt{11}+1}{3\sqrt{2}}$ (D) $\frac{\sqrt{11}-1}{3\sqrt{2}}$

Answer (B)

4. Consider the ellipse $\frac{x^2}{9} + \frac{y^2}{4} = 1$. Let $S(p, q)$ be a point in the first quadrant such that $\frac{p^2}{9} + \frac{q^2}{4} > 1$. Two tangents are drawn from S to the ellipse, of which one meets the ellipse at one end point of the minor axis and the other meets the ellipse at a point T in the fourth quadrant. Let R be the vertex of the ellipse with positive x -coordinate and O be the center of the ellipse. If the area of the triangle ΔORT is $\frac{3}{2}$, then which of the following options is correct?

- (A) $q = 2, p = 3\sqrt{3}$ (B) $q = 2, p = 4\sqrt{3}$
(C) $q = 1, p = 5\sqrt{3}$ (D) $q = 1, p = 6\sqrt{3}$

Answer (A)

Delivering Champions Consistently

JEE (MAIN) 2024

<p>Karnataka Topper</p>  <p>1 ALL INDIA FEMALE TOPPER AIR 34 Sanvi Jain 4 Year Classroom 100 PERCENTILE OVERALL</p>	<p>Telangana Topper</p>  <p>15 AIR 15 M. Sai Divya Teja Reddy 2 Year Classroom 100 PERCENTILE OVERALL</p>	<p>Telangana Topper</p>  <p>19 AIR 19 Rishi Shekher Shukla 2 Year Classroom 100 PERCENTILE OVERALL</p>	<p>Punjab Topper</p>  <p>25 AIR 25 Rachit Aggarwal 4 Year Classroom 100 PERCENTILE OVERALL</p>
 <p>Tanishka Kabra 4 Year Classroom 1 ALL INDIA RANK (Female) AIR-16 CRL JEE (Adv.) 2022</p>	 <p>Chirag Falor 4 Year Classroom 1 AIR JEE (Adv.) 2020</p>		

SECTION 2 (Maximum Marks : 12)

- This section contains **THREE (03)** questions.
- Each question has **FOUR** options (A), (B), (C) and (D). **ONE OR MORE THAN ONE** of these four option(s) is(are) correct answer(s).
- For each question, choose the option(s) corresponding to (all) the correct answer(s).
- Answer to each question will be evaluated according to the following marking scheme:

<i>FULL MARKS</i>	: +4	ONLY if (all) the correct option(s) is(are) chosen;
<i>Partial Marks</i>	: +3	If all the four options are correct but ONLY three options are chosen;
<i>Partial Marks</i>	: +2	If three or more options are correct but ONLY two options are chosen, both of which are correct;
<i>Partial Marks</i>	: +1	If two or more options are correct but ONLY one option is chosen and it is a correct option;
<i>Zero Marks</i>	: 0	If none of the options is chosen (i.e. the question is unanswered);
<i>Negative Marks</i>	: -2	In all other cases.

5. Let $S = \{a + b\sqrt{2} : a, b \in \mathbb{Z}\}$, $T_1 = \{(-1 + \sqrt{2})^n : n \in \mathbb{N}\}$ and $T_2 = \{(1 + \sqrt{2})^n : n \in \mathbb{N}\}$. Then which of the following statements is (are) TRUE?
- (A) $\mathbb{Z} \cup T_1 \cup T_2 \subset S$
- (B) $T_1 \cap \left(0, \frac{1}{2024}\right) = \phi$, where ϕ denotes the empty set
- (C) $T_2 \cap (2024, \infty) \neq \phi$
- (D) For any given $a, b \in \mathbb{Z}$, $\cos(\pi(a + b\sqrt{2})) + i \sin(\pi(a + b\sqrt{2})) \in \mathbb{Z}$ if and only if $b = 0$, where $i = \sqrt{-1}$

Answer (A, C, D)

6. Let \mathbb{R}^2 denote $\mathbb{R} \times \mathbb{R}$. Let
- $$S = \{(a, b, c) : a, b, c \in \mathbb{R} \text{ and } ax^2 + 2bxy + cy^2 > 0 \text{ for all } (x, y) \in \mathbb{R}^2 - \{(0, 0)\}\}$$
- Then which of the following statements is (are) TRUE?
- (A) $\left(2, \frac{7}{2}, 6\right) \in S$
- (B) If $\left(3, b, \frac{1}{12}\right) \in S$, then $|2b| < 1$

Delivering Champions Consistently

JEE (MAIN) 2024

<p>Karnataka Topper</p>  <p>1 AIR 34 ALL INDIA FEMALE TOPPER 100 PERCENTILE OVERALL Sanvi Jain 4 Year Classroom</p>	<p>Telangana Topper</p>  <p>15 AIR 15 100 PERCENTILE OVERALL M. Sai Divya Teja Reddy 2 Year Classroom</p>	<p>Telangana Topper</p>  <p>19 AIR 19 100 PERCENTILE OVERALL Rishi Shekher Shukla 2 Year Classroom</p>	<p>Punjab Topper</p>  <p>25 AIR 25 100 PERCENTILE OVERALL Rachit Aggarwal 4 Year Classroom</p>
 <p>Tanishka Kabra 4 Year Classroom 1 AIR-16 CRL JEE (Adv.) 2022 ALL INDIA RANK (Female)</p>	 <p>Chirag Falor 4 Year Classroom 1 AIR JEE (Adv.) 2020</p>		

(C) For any given $(a, b, c) \in S$, the system of linear equations $\begin{matrix} ax + by = 1 \\ bx + cy = -1 \end{matrix}$ has a unique solution.

(D) For any given $(a, b, c) \in S$, the system of linear equations $\begin{matrix} (a+1)x + by = 0 \\ bx + (c+1)y = 0 \end{matrix}$ has a unique solution.

Answer (B, C, D)

7. Let \mathbb{R}^3 denote the three-dimensional space. Take two points $P = (1, 2, 3)$ and $Q = (4, 2, 7)$. Let $dist(X, Y)$ denote the distance between two points X and Y in \mathbb{R}^3 . Let

$$S = \{X \in \mathbb{R}^3 : (dist(X, P))^2 - (dist(X, Q))^2 = 50\} \text{ and}$$

$$T = \{Y \in \mathbb{R}^3 : (dist(Y, Q))^2 - (dist(Y, P))^2 = 50\}.$$

Then which of the following statements is (are) TRUE?

- (A) There is a triangle whose area is 1 and all of whose vertices are from S .
- (B) There are two distinct points L and M in T such that each point on the line segment LM is also in T .
- (C) There are infinitely many rectangles of perimeter 48, two of whose vertices are from S and the other two vertices are from T .
- (D) There is a square of perimeter 48, two of whose vertices are from S and the other two vertices are from T .

Answer (A, B, C)

SECTION 3 (Maximum Marks : 24)

- This section contains **SIX (06)** questions.
- The answer to each question is a **NON-NEGATIVE INTEGER**.
- For each question, enter the correct integer corresponding to the answer using the mouse and the on-screen virtual numeric keypad in the place designated to enter the answer.
- Answer to each question will be evaluated according to the following marking scheme:

Full Marks : +4 If **ONLY** the correct integer is entered;

Zero Marks : 0 In all other cases.

8. Let $a = 3\sqrt{2}$ and $b = \frac{1}{5^6\sqrt{6}}$. If $x, y \in \mathbb{R}$ are such that

$$3x + 2y = \log_a(18)^{\frac{5}{4}} \text{ and}$$

$$2x - y = \log_b(\sqrt{1080}),$$

then $4x + 5y$ is equal to _____.

Answer (8)

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper



1
ALL INDIA FEMALE TOPPER
AIR 34
Sanvi Jain
4 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



15
AIR 15
M. Sai Divya Teja Reddy
2 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



19
AIR 19
Rishi Shekher Shukla
2 Year Classroom
100 PERCENTILE OVERALL

Punjab Topper



25
AIR 25
Rachit Aggarwal
4 Year Classroom
100 PERCENTILE OVERALL



Tanishka Kabra
4 Year Classroom
1
ALL INDIA RANK (Female)
AIR-16 CRL JEE (Adv.) 2022



Chirag Falor
4 Year Classroom
1
AIR JEE (Adv.) 2020

9. Let $f(x) = x^4 + ax^3 + bx^2 + c$ be a polynomial with real coefficients such that $f(1) = -9$. Suppose that $i\sqrt{3}$ is a root of the equation $4x^3 + 3ax^2 + 2bx = 0$, where $i = \sqrt{-1}$. If $\alpha_1, \alpha_2, \alpha_3$, and α_4 are all the roots of the equation $f(x) = 0$, then $|\alpha_1|^2 + |\alpha_2|^2 + |\alpha_3|^2 + |\alpha_4|^2$ is equal to _____.

Answer (20)

10. Let $S = \left\{ A = \begin{pmatrix} 0 & 1 & c \\ 1 & a & d \\ 1 & b & e \end{pmatrix} : a, b, c, d, e \in \{0, 1\} \text{ and } |A| \in \{-1, 1\} \right\}$, where $|A|$ denotes the determinant of A . Then the number of elements in S is _____.

Answer (16)

11. A group of 9 students, s_1, s_2, \dots, s_9 , is to be divided to form three teams X, Y and, Z of sizes 2, 3, and 4, respectively. Suppose that s_1 cannot be selected for the team X , and s_2 cannot be selected for the team Y . Then the number of ways to form such teams, is _____.

Answer (665)

12. Let $\overline{OP} = \frac{\alpha-1}{\alpha}\hat{i} + \hat{j} + \hat{k}$, $\overline{OQ} = \hat{i} + \frac{\beta-1}{\beta}\hat{j} + \hat{k}$ and $\overline{OR} = \hat{i} + \hat{j} + \frac{1}{2}\hat{k}$ be three vectors, where $\alpha, \beta \in \mathbb{R} - \{0\}$ and O denotes the origin. If $(\overline{OP} \times \overline{OQ}) \cdot \overline{OR} = 0$ and the point $(\alpha, \beta, 2)$ lies on the plane $3x + 3y - z + l = 0$, then the value of l is _____.

Answer (5)

13. Let X be a random variable, and let $P(X = x)$ denote the probability that X takes the value x . Suppose that the points $(x, P(X = x))$, $x = 0, 1, 2, 3, 4$, lie on a fixed straight line in the xy -plane, and $P(X = x) = 0$ for all $x \in \mathbb{R} - \{0, 1, 2, 3, 4\}$. If the mean of X is $\frac{5}{2}$, and the variance of X is α , then the value of 24α is _____.

Answer (42)

SECTION 4 (Maximum Marks : 12)

- This section contains **FOUR (04)** Matching List Sets.
- Each set has **ONE** Multiple Choice Question.
- Each set has **TWO** lists: **List-I** and **List-II**.
- **List-I** has **Four** entries (P), (Q), (R) and (S) and **List-II** has **Five** entries (1), (2), (3), (4) and (5).
- **FOUR** options are given in each Multiple Choice Question based on **List-I** and **List-II** and **ONLY ONE** of these four options satisfies the condition asked in the Multiple Choice Question.
- Answer to each question will be evaluated according to the following marking scheme:
Full Marks : +3 **ONLY** if the option corresponding to the correct combination is chosen;
Zero Marks : 0 If none of the options is chosen (i.e. the question is unanswered);
Negative Marks : -1 In all other cases.

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper



1
ALL INDIA FEMALE TOPPER
AIR 34
Sanvi Jain
4 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



15
AIR 15
M. Sai Divya Teja Reddy
2 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



19
AIR 19
Rishi Shekher Shukla
2 Year Classroom
100 PERCENTILE OVERALL

Punjab Topper



25
AIR 25
Rachit Aggarwal
4 Year Classroom
100 PERCENTILE OVERALL



Tanishka Kabra
4 Year Classroom
1
ALL INDIA RANK (Female)
AIR-16 CRL JEE (Adv.) 2022



Chirag Falor
4 Year Classroom
1
AIR JEE (Adv.) 2020

14. Let α and β be the distinct roots of the equation $x^2 + x - 1 = 0$. Consider the set $T = \{1, \alpha, \beta\}$. For a 3×3 matrix $M = (a_{ij})_{3 \times 3}$, define $R_i = a_{i1} + a_{i2} + a_{i3}$ and $C_j = a_{1j} + a_{2j} + a_{3j}$ for $i = 1, 2, 3$ and $j = 1, 2, 3$

Match each entry in **List-I** to the correct entry in **List-II**.

	List-I		List-II
(P)	The number of matrices $M = (a_{ij})_{3 \times 3}$ with all entries in T such that $R_i = C_j = 0$ for all i, j is	(1)	1
(Q)	The number of symmetric matrices $M = (a_{ij})_{3 \times 3}$ with all entries in T such that $C_j = 0$ for all j is	(2)	12
(R)	Let $M = (a_{ij})_{3 \times 3}$ be a skew symmetric matrix such that $a_{ij} \in T$ for $i > j$. Then the number of elements in the set $\left\{ \begin{pmatrix} x \\ y \\ z \end{pmatrix} : x, y, z \in R, M \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} a_{12} \\ 0 \\ -a_{23} \end{pmatrix} \right\}$ is	(3)	Infinite
(S)	Let $M = (a_{ij})_{3 \times 3}$ be a matrix with all entries in T such that $R_i = 0$ for all i . Then the absolute value of the determinant of M is	(4)	6
		(5)	0

The correct option is

- (A) (P) \rightarrow (4) (Q) \rightarrow (2) (R) \rightarrow (5) (S) \rightarrow (1)
 (B) (P) \rightarrow (2) (Q) \rightarrow (4) (R) \rightarrow (1) (S) \rightarrow (5)
 (C) (P) \rightarrow (2) (Q) \rightarrow (4) (R) \rightarrow (3) (S) \rightarrow (5)
 (D) (P) \rightarrow (1) (Q) \rightarrow (5) (R) \rightarrow (3) (S) \rightarrow (4)

Answer (C)

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper



1
ALL INDIA FEMALE TOPPER
AIR 34
Sanvi Jain
4 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



15
AIR 15
M. Sai Divya Teja Reddy
2 Year Classroom
100 PERCENTILE OVERALL

Telangana Topper



19
AIR 19
Rishi Shekher Shukla
2 Year Classroom
100 PERCENTILE OVERALL

Punjab Topper



25
AIR 25
Rachit Aggarwal
4 Year Classroom
100 PERCENTILE OVERALL



Tanishka Kabra
4 Year Classroom
1
ALL INDIA RANK (Female)
AIR-16 CRL JEE (Adv.) 2022



Chirag Falor
4 Year Classroom
1
AIR JEE (Adv.) 2020

15. Let the straight line $y = 2x$ touch a circle with center $(0, \alpha)$, $\alpha > 0$, and radius r at a point A_1 . Let B_1 be the point on the circle such that the line segment A_1B_1 is a diameter of the circle. Let $\alpha + r = 5 + \sqrt{5}$.

Match each entry in **List-I** to the correct entry in **List-II**.

	List-I		List-II
(P)	α equals	(1)	$(-2, 4)$
(Q)	r equals	(2)	$\sqrt{5}$
(R)	A_1 equals	(3)	$(-2, 6)$
(S)	B_1 equals	(4)	5
		(5)	$(2, 4)$

The correct option is

- (A) (P) \rightarrow (4) (Q) \rightarrow (2) (R) \rightarrow (1) (S) \rightarrow (3) (B) (P) \rightarrow (2) (Q) \rightarrow (4) (R) \rightarrow (1) (S) \rightarrow (3)
 (C) (P) \rightarrow (4) (Q) \rightarrow (2) (R) \rightarrow (5) (S) \rightarrow (3) (D) (P) \rightarrow (2) (Q) \rightarrow (4) (R) \rightarrow (3) (S) \rightarrow (5)

Answer (C)

16. Let $\gamma \in \mathbb{R}$ be such that the lines $L_1 : \frac{x+11}{1} = \frac{y+21}{2} = \frac{z+29}{3}$ and $L_2 : \frac{x+16}{3} = \frac{y+11}{2} = \frac{z+4}{\gamma}$ intersect. Let R_1

be the point of intersection of L_1 and L_2 . Let $O = (0, 0, 0)$, and \hat{n} denote a unit normal vector to the plane containing both the lines L_1 and L_2 .

Match each entry in **List-I** to the correct entry in **List-II**.

	List-I		List-II
(P)	γ equals	(1)	$-\hat{i} - \hat{j} + \hat{k}$
(Q)	A possible choice for \hat{n} is	(2)	$\sqrt{\frac{3}{2}}$
(R)	$\overline{OR_1}$ equals	(3)	1
(S)	A possible value of $\overline{OR_1} \cdot \hat{n}$ is	(4)	$\frac{1}{\sqrt{6}}\hat{i} - \frac{2}{\sqrt{6}}\hat{j} + \frac{1}{\sqrt{6}}\hat{k}$
		(5)	$\sqrt{\frac{2}{3}}$

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper

1 AIR 34
ALL INDIA RANK (Female)
100 PERCENTILE OVERALL
Sanvi Jain
4 Year Classroom

Telangana Topper

15 AIR 15
100 PERCENTILE OVERALL
M. Sai Divya Teja Reddy
2 Year Classroom

Telangana Topper

19 AIR 19
100 PERCENTILE OVERALL
Rishi Shekher Shukla
2 Year Classroom

Punjab Topper

25 AIR 25
100 PERCENTILE OVERALL
Rachit Aggarwal
4 Year Classroom

Tanishka Kabra
4 Year Classroom
1 AIR-16 CRL JEE (Adv.) 2022
ALL INDIA RANK (Female)

Chirag Falor
4 Year Classroom
1 AIR JEE (Adv.) 2020

The correct option is

- (A) (P) → (3) (Q) → (4) (R) → (1) (S) → (2)
- (B) (P) → (5) (Q) → (4) (R) → (1) (S) → (2)
- (C) (P) → (3) (Q) → (4) (R) → (1) (S) → (5)
- (D) (P) → (3) (Q) → (1) (R) → (4) (S) → (5)

Answer (C)

17. Let $f: \mathbb{R} \rightarrow \mathbb{R}$ and $g: \mathbb{R} \rightarrow \mathbb{R}$ be functions defined by

$$f(x) = \begin{cases} x |x| \sin\left(\frac{1}{x}\right), & x \neq 0, \\ 0, & x = 0, \end{cases} \text{ and } g(x) = \begin{cases} 1-2x, & 0 \leq x \leq \frac{1}{2}, \\ 0, & \text{otherwise} \end{cases}$$

Let $a, b, c, d \in \mathbb{R}$. Define the function $h: \mathbb{R} \rightarrow \mathbb{R}$ by

$$h(x) = af(x) + b\left(g(x) + g\left(\frac{1}{2} - x\right)\right) + c(x - g(x)) + d g(x), x \in \mathbb{R}$$

Match each entry in **List-I** to the correct entry in **List-II**.

List-I		List-II	
(P)	If $a = 0, b = 1, c = 0$ and $d = 0$, then	(1)	h is one-one
(Q)	If $a = 1, b = 0, c = 0$ and $d = 0$, then	(2)	h is onto.
(R)	If $a = 0, b = 0, c = 1$ and $d = 0$, then	(3)	h is differentiable on \mathbb{R} .
(S)	If $a = 0, b = 0, c = 0$ and $d = 1$, then	(4)	the range of h is $[0, 1]$
		(5)	the range of h is $\{0, 1\}$

The correct option is

- (A) (P) → (4) (Q) → (3) (R) → (1) (S) → (2)
- (B) (P) → (5) (Q) → (2) (R) → (4) (S) → (3)
- (C) (P) → (5) (Q) → (3) (R) → (2) (S) → (4)
- (D) (P) → (4) (Q) → (2) (R) → (1) (S) → (3)

Answer (C)

Delivering Champions Consistently

JEE (MAIN) 2024

Karnataka Topper



1 AIR 34
ALL INDIA FEMALE TOPPER
100 PERCENTILE OVERALL
Sanvi Jain
4 Year Classroom

Telangana Topper



15 AIR 15
100 PERCENTILE OVERALL
M. Sai Divya Teja Reddy
2 Year Classroom

Telangana Topper



19 AIR 19
100 PERCENTILE OVERALL
Rishi Shekher Shukla
2 Year Classroom

Punjab Topper



25 AIR 25
100 PERCENTILE OVERALL
Rachit Aggarwal
4 Year Classroom



Tanishka Kabra
4 Year Classroom
1 AIR-16 CR. JEE (Adv.) 2022
ALL INDIA RANK (Female)



Chirag Falor
4 Year Classroom
1 AIR JEE (Adv.) 2020