DATE: 07/05/2023 Test Booklet Code



F5

Corporate Office: Aakash Tower, 8, Pusa Road, New Delhi-110005 | Ph.: 011-47623456

# **Questions & Answers**

Time : 3 hrs. 20 Min. M.M. : 720

# **NEET (UG)-2023**

## **Important Instructions:**

- The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
   50 questions in each subject are divided into two sections (A and B) as per details given below:
  - (a) **Section A** shall consist of **35 (Thirty-five)** Questions in each subject (Question Nos. 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All Questions are compulsory.
  - (b) **Section B** shall consist of **15 (Fifteen)** questions in each subject (Question Nos. 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In section B, a candidate needs to **attempt any 10 (Ten)** questions out of **15 (Fifteen)** in each subject.

Candidates are advised to read all 15 questions in each subject of Section-B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

- 2. Each question carries **4 marks**. For each correct response, the candidate will get **4 marks**. For each incorrect response, **1 mark** will be deducted from the total scores. The maximum marks are **720**.
- 3. Use **Blue / Black Ball point Pen only** for writing particulars on this page / marking responses on Answer Sheet.
- 4. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate **must handover the Answer Sheet (ORIGINAL and OFFICE Copy)** to the **Invigilator** before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is F5.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
- 8. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 9. No candidate, without special permission of the Centre Superintendent or Invigilator, would leave his/her seat.
- 10. Use of Electronic/Manual Calculator is prohibited.
- 11. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 12. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 13. The candidates will write the Correct Test Booklet Code as given in the Test Booklet / Answer Sheet in the Attendance Sheet.



## **PHYSICS**

			SECTION	N-A
1.	load (1) (3)			odes, a centre-tapped transformer, capacitor and a ac ripple from the rectified output? Capacitor A centre-tapped transformer
2.	a fre	equency of $2.0 \times 10^{10}$ Hz and am eed of light in free space = $3 \times 10^{10}$	iplitude 48 V m $^{-1}$ . The $0^8$ m s $^{-1}$ )	ne electric field component oscillates sinusoidally a n the amplitude of oscillating magnetic field is
	` ,	1.6 × 10 <sup>-8</sup> T	` '	
	(3)	$1.6 \times 10^{-6} \mathrm{T}$	(4)	$1.6 \times 10^{-9} \mathrm{T}$
	Ans	swer (2)		
3.	pos	sible percentage error in the mea	asurement of density v	•
	` '	1.3%	(2)	1.6%
	. ,	1.4% swer (2)	(4)	1.2%
4.	In a			citance $C$ is 1 $\mu F$ and resistance $R$ is 100 $\Omega$ . The
	(1)	15.9 kHz	(2)	1.59 rad/s
	(3)	1.59 kHz	(4)	15.9 rad/s
	Ans	swer (3)		120
5.		otball player is moving southward force that acts on the player wh		eastward with the same speed to avoid an opponent
	(1)	Along northward	(2)	Along north-east
	(3)	Along south-west	(4)	Along eastward
	Ans	swer (2)		
6.		errors in the measurement who	ich arise due to unpr	redictable fluctuations in temperature and voltage
	(1)	Personal errors	(2)	Least count errors
	(3)	Random errors	(4)	Instrumental errors
	Ans	swer (3)		
7.	resp		gnetic radiation has	Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV an incident energy of 2.20 eV, which of these
	(1)	Both Na and K	(2)	K only
	(3)	Na only	(4)	Cs only
	Ans	swer (4)		



- 8. A bullet is fired from a gun at the speed of 280 m s<sup>-1</sup> in the direction 30° above the horizontal. The maximum height attained by the bullet is ( $g = 9.8 \text{ m s}^{-2}$ ,  $\sin 30^\circ = 0.5$ )
  - (1) 2000 m

(2) 1000 m

(3) 3000 m

(4) 2800 m

## Answer (2)

- 9. A 12 V, 60 W lamp is connected to the secondary of a step-down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
  - (1) 2.7 A

(2) 3.7 A

(3) 0.37 A

(4) 0.27 A

## Answer (4)

- 10. Resistance of a carbon resistor determined from colour codes is (22000  $\pm$  5%)  $\Omega$ . The colour of third band must be
  - (1) Green
  - (2) Orange
  - (3) Yellow
  - (4) Red

## Answer (2)

- 11. In hydrogen spectrum, the shortest wavelength in the Balmer series is  $\lambda$ . The shortest wavelength in the Bracket series is
  - (1) 4λ


(2) 9λ

(3)  $16\lambda$ 

(4) 2λ

#### Answer (1)

12. The equivalent capacitance of the system shown in the following circuit is



(1)  $3 \mu F$ 

(2) 6 μF

(3) 9 μF

(4)  $2 \mu F$ 

## Answer (4)

- 13. The half-life of a radioactive substance is 20 minutes. In how much time, the activity of substance drops to  $\left(\frac{1}{12}\right)^{th}$  of its initial value?
  - (1) 40 minutes

(2) 60 minutes

(3) 80 minutes

(4) 20 minutes

#### Answer (3)

- 14. The angular acceleration of a body, moving along the circumference of a circle, is
  - (1) Along the radius towards the centre
- (2) Along the tangent to its position

(3) Along the axis of rotation

(4) Along the radius, away from centre

#### Answer (3)



- 15. Let a wire be suspended from the ceiling (rigid support) and stretched by a weight *W* attached at its free end. The longitudinal stress at any point of cross-sectional area *A* of the wire is
  - (1) W/A

(2) W/2A

(3) Zero

(4) 2W/A

## Answer (1)

- 16. An electric dipole is placed at an angle of 30° with an electric field of intensity 2 x 10<sup>5</sup> N C<sup>-1</sup>. It experiences a torque equal to 4 N m. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.
  - (1) 6 mC
  - (2) 4 mC
  - (3) 2 mC
  - (4) 8 mC

## Answer (3)

- 17. The ratio of radius of gyration of a solid sphere of mass *M* and radius *R* about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is
  - (1) 5:3

(2) 2:5

(3) 5:2

(4) 3:5

## Answer (4\*)

- 18. The venturi-meter works on
  - (1) Bernoulli's principle
  - (2) The principle of parallel axes
  - (3) The principle of perpendicular axes
  - (4) Huygen's principle

#### Answer (1)

19. The magnitude and direction of the current in the following circuit is



(1) 0.5 A from A to B through E

(2)  $\frac{5}{9}$  A from A to B through E

(3) 1.5 A from B to A through E

(4) 0.2 A from B to A through E

## Answer (1)

- 20. The temperature of a gas is -50°C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?
  - (1) 3295°C
  - (2) 3097 K
  - (3) 223 K
  - (4) 669°C

## Answer (1)

21. Given below are two statements:

**Statement I:** Photovoltaic devices can convert optical radiation into electricity.

Statement II: Zener diode is designed to operate under reverse bias in breakdown region.

In the light of the above statements, choose the *most appropriate* answer from the options given below.

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct

Answer (4)

22. For Young's double slit experiment, two statements are given below:

**Statement I:** If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

**Statement II:** If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

Answer (2)

- 23. The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is
  - (1) 2:1

(2) 1:3

(3) 3:1

(4) 1:2

Answer (1)

- 24. The magnetic energy stored in an inductor of inductance 4  $\mu$ H carrying a current of 2 A is
  - (1) 4 mJ

(2) 8 mJ

(3)  $8 \mu J$ 

(4)  $4 \mu J$ 


Answer (3)

- Light travels a distance x in time  $t_1$  in air and  $t_2$  in another denser medium. What is the critical angle for this medium?
  - $(1) \quad \sin^{-1}\left(\frac{10t_2}{t}\right)$
  - $(2) \quad \sin^{-1}\left(\frac{t_1}{10 t_2}\right)$
  - (3)  $\sin^{-1} \left( \frac{10 \ t_1}{t_2} \right)$
  - $(4) \quad \sin^{-1}\left(\frac{t_2}{t_*}\right)$

Answer (3)



26. If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by



(1)  $50 \Omega$ 

(2)  $100 \Omega$ 

(3)  $400 \Omega$ 

(4)  $200 \Omega$ 

## Answer (2)

- 27. The net magnetic flux through any closed surface is
  - (1) Positive

(2) Infinity

(3) Negative

(4) Zero

## Answer (4)

- 28. A Carnot engine has an efficiency of 50% when its source is at a temperature 327°C. The temperature of the sink is
  - (1) 15°C

(2) 100°C

(3) 200°C

(4) 27°C

## Answer (4)

- 29. The minimum wavelength of *X*-rays produced by an electron accelerated through a potential difference of *V* volts is proportional to
  - (1)  $\frac{1}{v}$

(2)  $\frac{1}{\sqrt{V}}$ 

(3) V<sup>2</sup>

(4) √V

## Answer (1)

- 30. An ac source is connected to a capacitor C. Due to decrease in its operating frequency
  - (1) Displacement current increases
  - (2) Displacement current decreases
  - (3) Capacitive reactance remains constant
  - (4) Capacitive reactance decreases

## Answer (2)

- 31. A vehicle travels half the distance with speed *v* and the remaining distance with speed 2*v*. Its average speed is
  - (1)  $\frac{2v}{3}$

 $(2) \frac{4v}{2}$ 

 $(3) \quad \frac{3v}{4}$ 

(4)  $\frac{v}{3}$ 



- 32. The potential energy of a long spring when stretched by 2 cm is *U*. If the spring is stretched by 8 cm, potential energy stored in it will be
  - (1) 4 *U*

(2) 8 *U* 

(3) 16 *U* 

(4) 2 *U* 

## Answer (3)

33. The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly (surface tension of soap solution = 0.03 N m<sup>-1</sup>)

(1)  $5.06 \times 10^{-4} \text{ J}$ 

(2)  $3.01 \times 10^{-4} \text{ J}$ 

(3)  $50.1 \times 10^{-4} \text{ J}$ 

(4)  $30.16 \times 10^{-4} \text{ J}$ 

#### Answer (2)

Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant)

 $(1) -\frac{12Gm}{R}$ 

 $(2) -\frac{16\,Gm}{R}$ 

 $(3) \quad -\frac{20\,Gm}{R}$ 

 $(4) - \frac{8Gm}{R}$ 

## Answer (2)

- 35. If  $\oint \vec{E} \cdot \vec{dS} = 0$  over a surface, then
  - (1) The magnitude of electric field on the surface is constant
  - (2) All the charges must necessarily be inside the surface
  - (3) The electric field inside the surface is necessarily uniform
  - (4) The number of flux lines entering the surface must be equal to the number of flux lines leaving it

## Answer (4)

#### **SECTION-B**

- 36. The radius of inner most orbit of hydrogen atom is  $5.3 \times 10^{-11}$  m. What is the radius of third allowed orbit of hydrogen atom?
  - (1) 1.06 Å

(2) 1.59 Å

(3) 4.77 Å

(4) 0.53 Å

#### Answer (3)

- 37. A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet becomes  $\frac{u}{3}$ . Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is
  - (1) 24 cm

(2) 28 cm

(3) 30 cm

(4) 27 cm



- 10 resistors, each of resistance R are connected in series to a battery of emf E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of *n* is
  - (1) 100


(2) 1

(3) 1000

(4) 10

Answer (1)

The net impedance of circuit (as shown in figure) will be 39.



(1)  $15 \Omega$ 


(2)  $5\sqrt{5} \Omega$ 

(3)  $25 \Omega$ 

(4)  $10\sqrt{2} \Omega$ 

## Answer (2)

40. For the following logic circuit, the truth table is



В

(1)

0 0

(3) 0 0

1 1 1

0

0 0 1

1 0

## Answer (1)

- 41. The resistance of platinum wire at 0°C is 2  $\Omega$  and 6.8  $\Omega$  at 80°C. The temperature coefficient of resistance of the wire is
  - (1)  $3 \times 10^{-3} \, ^{\circ}\text{C}^{-1}$

(2)  $3 \times 10^{-2} \, ^{\circ}\text{C}^{-1}$ 

(3)  $3 \times 10^{-1} \, ^{\circ}\text{C}^{-1}$ 

(4)  $3 \times 10^{-4} \, ^{\circ}\text{C}^{-1}$ 

#### Answer (2)


- 42. Two thin lenses are of same focal lengths (f), but one is convex and the other one is concave. When they are placed in contact with each other, the equivalent focal length of the combination will be

(3) Infinite

(4) Zero

## Answer (3)

43. In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



(1) -40 cm


(2) -100 cm

(3) -50 cm

(4) 40 cm

## Answer (2)

44. The x-t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t = 2 s is



(1)  $-\frac{\pi^2}{8}$  m s<sup>-2</sup>

(2)  $\frac{\pi^2}{16}$  m s<sup>-2</sup>

(3)  $-\frac{\pi^2}{16} \text{ m s}^{-2}$ 

(4)  $\frac{\pi^2}{8} \text{ m s}^{-2}$ 

## Answer (3)

- 45. A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 m s<sup>-1</sup>. The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take  $g = 10 \text{ m s}^{-2}$ )
  - (1) 60 m


(2) 64 m

(3) 68 m

(4) 56 m

## Answer (2)

46. A very long conducting wire is bent in a semi-circular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by



- (1)  $\frac{\mu_0 i}{4R}$  pointed away from the page
- (2)  $\frac{\mu_0 i}{4R} \left[ 1 \frac{2}{\pi} \right]$  pointed away from page
- (3)  $\frac{\mu_0 i}{4R} \left[ 1 \frac{2}{\pi} \right]$  pointed into the page
- (4)  $\frac{\mu_0 i}{4R}$  pointed into the page




- 47. A satellite is orbiting just above the surface of the earth with period T. If d is the density of the earth and G is the universal constant of gravitation, the quantity  $\frac{3\pi}{Gd}$  represents
  - (1)  $T^2$
  - (2)  $T^3$
  - (3)  $\sqrt{T}$
  - (4) T

## Answer (1)

- 48. A wire carrying a current I along the positive x-axis has length L. It is kept in a magnetic field  $\vec{B} = (2\hat{i} + 3\hat{j} 4\hat{k})$  T. The magnitude of the magnetic force acting on the wire is
  - (1)  $\sqrt{5}$  IL
  - (2) 5 IL
  - (3)  $\sqrt{3}$  IL
  - (4) 3 IL

## Answer (2)

49. An electric dipole is placed as shown in the figure.



The electric potential (in 10<sup>2</sup> V) at point *P* due to the dipole is ( $\epsilon_0$  = permittivity of free space and  $\frac{1}{4\pi \epsilon_0} = K$ )

- $(1) \quad \left(\frac{5}{8}\right) qK$
- (2)  $\left(\frac{8}{5}\right)qK$
- (3)  $\left(\frac{8}{3}\right)qK$
- (4)  $\left(\frac{3}{8}\right)qK$

## Answer (4)

- 50. Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 ( $g = 10 \text{ m s}^{-2}$ ).
  - (1) 150 m s<sup>-2</sup>
  - (2) 1.5 m s<sup>-2</sup>
  - (3)  $50 \text{ m s}^{-2}$
  - (4) 1.2 m s<sup>-2</sup>



## **CHEMISTRY**

## **SECTION-A**

51. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: A reaction can have zero activation energy.

**Reasons R:** The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both A and R are true and R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

## Answer (1)

52. Complete the following reaction

$$\begin{array}{c|c}
& & \text{OH} \\
\hline
& \text{[A]} & & \text{[B]}
\end{array}$$

$$\xrightarrow{\text{conc. H}_2SO_4} [C]$$

## Answer (3)



53. The given compound

is an example of \_\_\_\_\_.

- (1) Aryl halide
- (2) Allylic halide
- (3) Vinylic halide
- (4) Benzylic halide

## Answer (2)

- 54. Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:
  - A. dipole dipole forces
  - B. dipole induced dipole forces
  - C. hydrogen bonding
  - D. covalent bonding
  - E. dispersion forces

Choose the most appropriate answer from the options given below:

- (1) A, B, C, D are correct
- (2) A, B, C, E are correct
- (3) A, C, D, E are correct
- (4) B, C, D, E are correct

## Answer (2)

55. Which of the following reactions will NOT give primary amine as the product?

(1) 
$$CH_3CN \xrightarrow{(i) LiAlH_4} Product$$

(2) 
$$CH_3NC \xrightarrow{(i) LiAlH_4} Product$$

(3) 
$$CH_3CONH_2 \xrightarrow{(i) LiAlH_4} Product$$

(4) 
$$CH_3CONH_2 \xrightarrow{Br_2/KOH} Product$$



56. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

**Assertion A**: Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

**Reason R**: The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

#### Answer (2)

- For a certain reaction, the rate =  $k[A]^2[B]$ , when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
  - (1) Increase by a factor of six
  - (2) Increase by a factor of nine
  - (3) Increase by a factor of three
  - (4) Decrease by a factor of nine

## Answer (2)

- 58. Taking stability as the factor, which one of the following represents correct relationship?
  - (1)  $InI_3 > InI$
  - (2) AICI > AICI<sub>3</sub>
  - (3)  $T\ell I > T\ell I_3$
  - (4)  $T\ell CI_3 > T\ell CI$

#### Answer (3)

- 59. Amongst the given options which of the following molecules/ ion acts as a Lewis acid?
  - (1) H<sub>2</sub>O
  - (2) BF<sub>3</sub>
  - (3) OH-
  - (4) NH<sub>3</sub>

## Answer (2)

- 60. The number of  $\sigma$  bonds,  $\pi$  bonds and lone pair of electrons in pyridine, respectively are:
  - (1) 12, 3, 0
  - (2) 11, 3, 1
  - (3) 12, 2, 1
  - (4) 11, 2, 0



- 61. The **correct** order of energies of molecular orbitals of N<sub>2</sub> molecule, is
  - (1)  $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
  - (2)  $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$
  - (3)  $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$
  - (4)  $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$

#### Answer (4)

62. Consider the following reaction and identify the product (P).

$$\begin{array}{c|c}
CH_3 - CH - CH - CH_3 \\
 & | \\
 & CH_3 \quad OH
\end{array}$$
Product (P)

- 3-Methylbutan-2-ol
- (1)  $CH_3CH = CH CH_3$

## Answer (4)

63. Given below are two statements: one is labelled as Assertion A and the other is labelled as

#### Reason R

**Assertion A**: In equation  $\Delta_r G = -nFE_{cell'}$  value of  $\Delta_r G$  depends on n.

**Reasons R**:  $E_{cell}$  is an intensive property and  $\Delta_r G$  is an extensive property.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both A and R are true and R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

#### Answer (1)

- 64. Homoleptic complex from the following complexes is
  - (1) Diamminechloridonitrito-N-platinum (II)
  - (2) Pentaamminecarbonatocobalt (III) chloride
  - (3) Triamminetriaquachromium (III) chloride
  - (4) Potassium trioxalatoaluminate (III)



65. Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R** 

**Assertion A:** Helium is used to dilute oxygen in diving apparatus.

Reason R: Helium has high solubility in O2.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both A and R are true and R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

## Answer (1)

66. Identify product (A) in the following reaction:

$$\frac{Zn-Hg}{conc. HCl} (A) + 2H_2O$$


(2) 
$$CH_2$$
  $CH_2OH$ 



67. Identify the product in the following reaction:

$$\begin{array}{c}
\stackrel{\stackrel{\bullet}{\text{N}_2}\overline{\text{CI}}}{} \\
& \stackrel{(i) \text{Cu}_2\text{Br}_2/\text{HBr}}{} \\
\stackrel{(ii) \text{Mg/dry ether}}{} \\
\hline
& \stackrel{(iii) \text{H}_2\text{O}}{}
\end{array}$$





## Answer (1)

68. Given below are two statements:

**Statement I**: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside.

**Statement II**: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

#### Answer (2)

69. Which amongst the following molecules on polymerization produces neoprene?

(1) 
$$H_2C = C - CH = CH_2$$

(2) 
$$H_2C = CH - C \equiv CH$$

(3) 
$$H_2C = C - CH = CH_2$$

(4) 
$$H_2C = CH - CH = CH_2$$

## Answer (1)

- 70. The relation between  $n_m$ ,  $(n_m = \text{the number of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (l), is$ 
  - (1)  $I = 2n_m + 1$

(2)  $n_m = 2l^2 + 1$ 

(3)  $n_m = I + 2$ 

(4)  $I = \frac{n_m - 1}{2}$ 

## Answer (4)

- 71. The stability of Cu<sup>2+</sup> is more than Cu<sup>+</sup> salts in aqueous solution due to
  - (1) Enthalpy of atomization

(2) Hydration energy

(3) Second ionisation enthalpy

(4) First ionisation enthalpy

## Answer (2)

- 72. Some tranquilizers are listed below. Which one from the following belongs to barbiturates?
  - (1) Meprobamate
  - (2) Valium
  - (3) Veronal
  - (4) Chlordiazepoxide

## Answer (3)

- 73. The element expected to form largest ion to achieve the nearest noble gas configuration is
  - (1) F

(2) N

(3) Na

(4) O

## Answer (2)

- 74. Which of the following statements are **NOT** correct?
  - A. Hydrogen is used to reduce heavy metal oxides to metals.
  - B. Heavy water is used to study reaction mechanism.
  - C. Hydrogen is used to make saturated fats from oils.
  - D. The H–H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
  - E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the most appropriate answer from the options given below:

- (1) B, D only
- (2) D, E only
- (3) A, B, C only
- (4) B, C, D, E only





DBYJU'S				NEE1 (UG)-2023 (COUE-F3)
75.		ompound is formed by two elements A and B. Th		·
		ns of A occupy 1/3 of tetrahedral voids. If the forn option	nuia	of the compound is $A_xB_y$ , then the value of $x + y$
	(1)	4	(2)	3
	(3)	2	(4)	5
	Ans	wer (4)		
76.	Whi	ch one of the following statements is <b>correct</b> ?		
	(1)	All enzymes that utilise ATP in phosphate transf	er re	quire Ca as the cofactor
	(2)	The bone in human body is an inert and unchan	ging	substance
	(3)	Mg plays roles in neuromuscular function and in	terne	euronal transmission
	(4)	The daily requirement of Mg and Ca in the huma	an bo	dy is estimated to be 0.2-0.3 g
	Ans	wer (4)		
77.	Amo	ongst the following the total number of species N	OT h	naving eight electrons around central atom in its
	oute	ermost shell, is		
	NНз	, AICl <sub>3</sub> , BeCl <sub>2</sub> , CCl <sub>4</sub> , PCl <sub>5</sub> :		
	(1)	2	(2)	4
	(3)	1	(4)	3
	Ans	wer (4)		
78.	Wei	ght (g) of two moles of the organic compound, v	which	n is obtained by heating sodium ethanoate with
	sodi	um hydroxide in presence of calcium oxide is :		NO 3
	(1)	32	(2)	30
	(3)	18	(4)	16
	Ans	ewer (1)		
79.	Sele	ect the <b>correct</b> statements from the following		
	A.	Atoms of all elements are composed of two fund	ameı	ntal particles.
	B.	The mass of the electron is 9.10939 $\times$ 10 $^{\!-31}$ kg.		
	C.	All the isotopes of a given element show same of	hemi	ical properties.
	D.	Protons and electrons are collectively known as	nucle	eons.
	E.	Dalton's atomic theory, regarded the atom as an	ultim	nate particle of matter
	Cho	ose the <b>correct</b> answer from the options given be	elow	
	(1)	C, D and E only	(2)	A and E only
	(3)	B, C and E only	(4)	A, B and C only
	Ans	wer (3)		


- 80. Which one is an example of heterogenous catalysis?
  - (1) Hydrolysis of sugar catalysed by H+ ions
  - (2) Decomposition of ozone in presence of nitrogen monoxide
  - (3) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron
  - (4) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen


## Answer (3)

81. Which amongst the following options is **correct** graphical representation of Boyle's law?









## Answer (1)

82. Match List-I with List-II.

:-4 1
IST-I

## List-II

A. Coke

I. Carbon atoms are sp<sup>3</sup> hybridised

B. Diamond

II. Used as a dry lubricant

C. Fullerene

III. Used as a reducing agent

D. Graphite

IV. Cage like molecules

Choose the **correct** answer from the options given below:

(1) A-IV, B-I, C-II, D-III

(2) A-III, B-I, C-IV, D-II

(3) A-III, B-IV, C-I, D-II

(4) A-II, B-IV, C-I, D-III



83. The **right** option for the mass of CO<sub>2</sub> produced by heating 20 g of 20% pure limestone is (Atomic mass of

$$Ca = 40) \left\lceil CaCO_{3} \xrightarrow{1200 \text{ K}} CaO + CO_{2} \right\rceil$$

- (1) 1.76 g
- (2) 2.64 g
- (3) 1.32 g
- (4) 1.12 g

## Answer (1)

- 84. In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe<sup>3+</sup> due to the formation of
  - (1) NaSCN
  - (2) [Fe(CN)<sub>5</sub>NOS]<sup>4-</sup>
  - (3) [Fe(SCN)]<sup>2+</sup>
  - (4)  $Fe_4[Fe(CN)_6]_3 \cdot xH_2O$

## Answer (3)

- 85. The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm<sup>-1</sup> cm<sup>-1</sup> and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is
  - (1) 3.28 cm<sup>-1</sup>
  - (2) 1.26 cm<sup>-1</sup>
  - (3) 3.34 cm<sup>-1</sup>
  - (4) 1.34 cm<sup>-1</sup>

## Answer (2)

## **SECTION-B**

86. Which amongst the following will be most readily dehydrated under acidic conditions?

## Answer (1)

## 87. Match List-I with List-II:

## List-I (Oxoacids of Sulphur)

## List-II (Bonds)

- A. Peroxodisulphuric acid
- I. Two S-OH, Four S=O, One S-O-S

B. Sulphuric acid

II. Two S-OH, One S=O

C. Pyrosulphuric acid

III. Two S-OH, Four S=O, One S-O-O-S

D. Sulphurous acid

IV. Two S-OH, Two S=O

Choose the **correct** answer from the options given below.

- (1) A-III, B-IV, C-I, D-II
- (2) A-I, B-III, C-IV, D-II
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-III, C-II, D-IV

## Answer (1)

88. Identify the final product [D] obtained in the following sequence of reactions.

$$CH_3CHO \xrightarrow{i)LiAlH_4} [A] \xrightarrow{H_2SO_4} [B]$$

$$\xrightarrow{\mathsf{HBr}} [\mathsf{C}] \xrightarrow{\mathsf{Na/dry\ ether}} [\mathsf{D}]$$

- (1)
- (2) C<sub>4</sub>H<sub>10</sub>
- (3)  $HC \equiv C^{\ominus}Na^{+}$
- (4)

## Answer (4)

- 89. Which complex compound is most stable?
  - (1)  $\left[ \text{Co}(\text{NH}_3)_3 (\text{NO}_3)_3 \right]$
  - (2)  $\left[ \text{CoCl}_2(\text{en})_2 \right] \text{NO}_3$
  - (3)  $\left[ \text{Co(NH}_3)_6 \right]_2 (\text{SO}_4)_3$
  - (4)  $\left[ \text{Co}(\text{NH}_3)_4 (\text{H}_2\text{O}) \text{Br} \right] (\text{NO}_3)_2$



90. Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?

(1) 
$$\Delta H = \Delta U + \Delta n_g RT$$

(2) 
$$\Delta H - \Delta U = -\Delta nRT$$

(3) 
$$\Delta H + \Delta U = \Delta nR$$

(4) 
$$\Delta H = \Delta U - \Delta n_g RT$$

## Answer (1)

91. Consider the following reaction:

$$CH_2 - O \xrightarrow{HI} A + B$$

Identify products A and B.

(1) 
$$A = \bigcirc CH_2OH \text{ and } B = \bigcirc$$

(2) 
$$A = \bigcirc CH_2I$$
 and  $B = \bigcirc OH_2I$ 

(3) 
$$A = \bigcirc CH_3$$
 and  $B = \bigcirc$ 

(4) 
$$A = \bigcirc CH_3$$
 and  $B = \bigcirc OH$ 

## Answer (2)

92. Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.


In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

## Answer (3)



93. Consider the following compounds/species:



The number of compounds/species which obey Huckel's rule is \_\_\_\_\_.

(1) 6

(2) 2

(3) 5

(4) 4

Answer (4)

94. Identify the major product obtained in the following reaction:

$$+ 2 \left[ Ag(NH_3)_2 \right]^+ +$$

 $3^-OH \xrightarrow{\Delta}$  major product



- 95. What fraction of one edge centred octahedral void lies in one unit cell of fcc?
  - (1)  $\frac{1}{3}$
  - (2)  $\frac{1}{4}$
  - (3)  $\frac{1}{12}$
  - $(4) \frac{1}{2}$

## Answer (2)

96. On balancing the given redox reaction,

$$aCr_{2}O_{7}^{2-} + bSO_{3}^{2-}(aq) + cH^{+}(aq) \rightarrow 2aCr^{3+}(aq) + bSO_{4}^{2-}(aq) + \frac{c}{2}H_{2}O(l)$$

the coefficients a, b and c are found to be, respectively-

- (1) 3, 8, 1
- (2) 1, 8, 3
- (3) 8, 1, 3
- (4) 1, 3, 8

## Answer (4)

- 97. The reaction that does **NOT** take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is :
  - (1) FeO + CO  $\rightarrow$  Fe + CO<sub>2</sub>
  - (2)  $C + CO_2 \rightarrow 2CO$
  - (3)  $CaO + SiO_2 \rightarrow CaSiO_3$
  - (4)  $Fe_2O_3 + CO \rightarrow 2FeO + CO_2$



- 98. Which of the following statements are **INCORRECT**?
  - A. All the transition metals except scandium form MO oxides which are ionic.
  - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc<sub>2</sub>O<sub>3</sub> to Mn<sub>2</sub>O<sub>7</sub>.
  - C. Basic character increases from V<sub>2</sub>O<sub>3</sub> to V<sub>2</sub>O<sub>4</sub> to V<sub>2</sub>O<sub>5</sub>.
  - D.  $V_2O_4$  dissolves in acids to give  $VO_4^{3-}$  salts.
  - E. CrO is basic but Cr<sub>2</sub>O<sub>3</sub> is amphoteric.

Choose the **correct** answer from the options given below:

- (1) B and D only
- (2) C and D only
- (3) B and C only
- (4) A and E only

## Answer (2)

- 99. The equilibrium concentrations of the species in the reaction  $A + B \rightleftharpoons C + D$  are 2, 3, 10 and 6 mol  $L^{-1}$ , respectively at 300 K.  $\Delta G^{0}$  for the reaction is (R = 2 cal/mol K)
  - (1) -137.26 cal
  - (2) -1381.80 cal
  - (3) -13.73 cal
  - (4) 1372.60 cal

## Answer (2)

- 100. Pumice stone is an example of
  - (1) Gel
  - (2) Solid sol
  - (3) Foam
  - (4) Sol



## **BOTANY**

## **SECTION-A**

- 101. The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year
  - (1) 1992
  - (2) 1986
  - (3) 2002
  - (4) 1985

## Answer (1)

- 102. The phenomenon of pleiotropism refers to
  - (1) Presence of two alleles, each of the two genes controlling a single trait
  - (2) A single gene affecting multiple phenotypic expression
  - (3) More than two genes affecting a single character
  - (4) Presence of several alleles of a single gene controlling a single crossover

## Answer (2)

- 103. Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
  - (1) Facilitated Diffusion
  - (2) Passive Transport
  - (3) Active Transport
  - (4) Osmosis

#### Answer (3)

- 104. How many ATP and NADPH2 are required for the synthesis of one molecule of Glucose during Calvin cycle?
  - (1) 18 ATP and 12 NADPH<sub>2</sub>
  - (2) 12 ATP and 16 NADPH<sub>2</sub>
  - (3) 18 ATP and 16 NADPH<sub>2</sub>
  - (4) 12 ATP and 12 NADPH<sub>2</sub>

## Answer (1)

- 105. Which of the following stages of meiosis involves division of centromere?
  - (1) Metaphase II
  - (2) Anaphase II
  - (3) Telophase
  - (4) Metaphase I



106. Given below are two statements:

**Statement I**: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

**Statement II:** Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is correct but Statement II is false
- (3) Statement I is incorrect but Statement II is true
- (4) Both Statement I and Statement II are true

#### Answer (3)

- 107. Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
  - (1) Sutton and Boveri
  - (2) Alfred Sturtevant
  - (3) Henking
  - (4) Thomas Hunt Morgan

## Answer (2)

- 108. Which hormone promotes internode/petiole elongation in deep water rice?
  - (1) Kinetin
  - (2) Ethylene
  - (3) 2, 4-D
  - (4) GA<sub>3</sub>

## Answer (2)

- 109. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as
  - (1) Dedifferentiation
  - (2) Development
  - (3) Senescence
  - (4) Differentiation

## Answer (1)

- 110. In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are:
  - (1) Antipodals, synergids, and primary endosperm nucleus
  - (2) Synergids, Zygote and Primary endosperm nucleus
  - (3) Synergids, antipodals and Polar nuclei
  - (4) Synergids, Primary endosperm nucleus and zygote



- 111. Which micronutrient is required for splitting of water molecule during photosynthesis?
  - (1) Molybdenum
  - (2) Magnesium
  - (3) Copper
  - (4) Manganese

## Answer (4)

- 112. Axile placentation is observed in
  - (1) China rose, Beans and Lupin
  - (2) Tomato, Dianthus and Pea
  - (3) China rose, Petunia and Lemon
  - (4) Mustard, Cucumber and Primrose

## Answer (3)

113. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

**Assertion A:** Late wood has fewer xylary elements with narrow vessels.

Reason R: Cambium is less active in winters.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

## Answer (4)

- 114. Spraying of which of the following phytohormone on juvenile conifers helps hastening the maturity period, that leads early seed production?
  - (1) Gibberellic Acid
  - (2) Zeatin
  - (3) Abscisic Acid
  - (4) Indole-3-butyric Acid

## Answer (1)

- 115. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
  - (1) DNA
  - (2) Histones
  - (3) Polysaccharides
  - (4) RNA

## Answer (1)



116. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A: The first stage of gametophyte in the life cycle of moss is protonema stage.

**Reason R:** Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from options given below:

- (1) Both A and R are correct but R is NOT the correct explanation of A
- (2) A is correct but R is not correct
- (3) A is not correct but R is correct
- (4) Both A and R are correct and R is the correct explanation of A

## Answer (4)

- 117. Among eukaryotes, replication of DNA takes place in :
  - (1) S phase
  - (2) G₁ phase
  - (3)  $G_2$  phase
  - (4) M phase

## Answer (1)

118. In the equation GPP - R = NPP

GPP is Gross Primary Productivity

NPP is Net Primary Productivity

R here is \_\_\_\_\_.

- (1) Respiratory quotient
- (2) Respiratory loss
- (3) Reproductive allocation
- (4) Photosynthetically active radiation

## Answer (2)

- 119. In gene gun method used to introduce alien DNA into host cells, microparticles of \_\_\_\_\_ metal are used.
  - (1) Zinc
  - (2) Tungsten or gold
  - (3) Silver
  - (4) Copper

## Answer (2)

- 120. Large, colourful, fragrant flowers with nectar are seen in
  - (1) Bird pollinated plants
  - (2) Bat pollinated plants
  - (3) Wind pollinated plants
  - (4) Insect pollinated plants



- 121. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
  - (1) Polyadelphous and epipetalous stamens
  - (2) Monoadelphous and Monothecous anthers
  - (3) Epiphyllous and Dithecous anthers
  - (4) Diadelphous and Dithecous anthers

## Answer (4)

- 122. Identify the pair of heterosporous pteridophytes among the following:
  - (1) Selaginella and Salvinia
  - (2) Psilotum and Salvinia
  - (3) Equisetum and Salvinia
  - (4) Lycopodium and Selaginella

## Answer (1)

- 123. Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
  - (1) Over exploitation for economic gain
  - (2) Alien species invasions
  - (3) Co-extinctions
  - (4) Habitat loss and fragmentation

## Answer (4)

- 124. Upon exposure to UV radiation, DNA stained with ethidium bromide will show
  - (1) Bright blue colour
  - (2) Bright yellow colour
  - (3) Bright orange colour
  - (4) Bright red colour

## Answer (3)

- 125. Expressed Sequence Tags (ESTs) refers to
  - (1) All genes that are expressed as proteins.
  - (2) All genes whether expressed or unexpressed.
  - (3) Certain important expressed genes.
  - (4) All genes that are expressed as RNA.

## Answer (4)

- 126. The reaction centre in PS II has an absorption maxima at
  - (1) 700 nm
  - (2) 660 nm
  - (3) 780 nm
  - (4) 680 nm



127. Given below are two statements:

**Statement I**: The forces generated transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II: Transpiration cools leaf surfaces sometimes 10 to 15 degrees evaporative cooling.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct

## Answer (4)

- 128. What is the function of tassels in the corn cob?
  - (1) To trap pollen grains
  - (2) To disperse pollen grains
  - (3) To protect seeds
  - (4) To attract insects

#### Answer (1)

- 129. Cellulose does not form blue colour with lodine because
  - (1) It is a helical molecule
  - (2) It does not contain complex helices and hence cannot hold iodine molecules
  - (3) It breaks down when iodine reacts with it
  - (4) It is a disaccharide

#### Answer (2)

130. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

**Reason R**: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1, 6-diphosphate.

In the light of the above statements, choose the  ${f correct}$  answer from the options given below :

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both **A** and **R** are true and **R** is the correct explanation of **A**.

## Answer (4)

- 131. The thickness of ozone in a column of air in the atmosphere is measured in terms of :
  - (1) Decibels
  - (2) Decameter
  - (3) Kilobase
  - (4) Dobson units



- 132. Identify the **correct** statements:
  - A. Detrivores perform fragmentation.
  - B. The humus is further degraded by some microbes during mineralization.
  - C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
  - D. The detritus food chain begins with living organisms.
  - Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the correct answer from the options given below:

- (1) B, C, D only
- (2) C, D, E only
- (3) D, E, A only
- (4) A, B, C only

#### Answer (4)

- 133. What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
  - (1) Transcription of tRNA, 5S rRNA and snRNA
  - (2) Transcription of precursor of mRNA
  - (3) Transcription of only snRNAs
  - (4) Transcription of rRNAs (28S, 18S and 5.8S)

#### Answer (1)

- 134. The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
  - (1) Pachytene
  - (2) Diplotene
  - (3) Diakinesis
  - (4) Zygotene

#### Answer (1)

- 135. Unequivocal proof that DNA is the genetic material was first proposed by
  - (1) Alfred Hershey and Martha Chase
  - (2) Avery, Macleoid and McCarthy
  - (3) Wilkins and Franklin
  - (4) Frederick Griffith

#### Answer (1)

#### **SECTION-B**

- 136. Which one of the following statements is **NOT** correct?
  - (1) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries
  - (2) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body
  - (3) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels
  - (4) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms

#### Answer (1)



- 137. Identify the **correct** statements:
  - A. Lenticels are the lens-shaped openings permitting the exchange of gases.
  - B. Bark formed early in the season is called hard bark.
  - C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
  - D. Bark refers to periderm and secondary phloem.
  - E. Phellogen is single-layered in thickness.

Choose the correct answer from the options given below:

- (1) A and D only
- (2) A, B and D only
- (3) B and C only
- (4) B, C and E only

## Answer (1)

138. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

**Assertion A :** In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

**Reason R**: Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the current explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

#### Answer (2)

# 139. Match List I with List II:

	LIST I		LIST II
A.	M Phase	I.	Proteins are synthesized
B.	G <sub>2</sub> Phase	II.	Inactive phase
C.	Quiescent stage	III.	Interval between mitosis and initiation of DNA replication
D.	G <sub>1</sub> Phase	IV.	Equational division

1 :64 11

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I



- 140. Which of the following statements are correct about Klinefelter's Syndrome?
  - A. This disorder was first described by Langdon Down (1866).
  - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
  - C. The affected individual is short statured.
  - D. Physical, psychomotor and mental development is retarded.
  - E. Such individuals are sterile.

Choose the **correct** answer from the options given below:

- (1) C and D only
- (2) B and E only
- (3) A and E only
- (4) A and B only

## Answer (2)

- 141. Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.
  - A. Insertion of recombinant DNA into the host cell
  - B. Cutting of DNA at specific location by restriction enzyme
  - C. Isolation of desired DNA fragment
  - D. Amplification of gene of interest using PCR

Choose the correct answer from the options given below:

- (1) C, A, B, D
- (2) C, B, D, A
- (3) B, D, A, C
- (4) B, C, D, A

#### Answer (4)

- 142. How many different proteins does the ribosome consist of?
  - (1) 60
  - (2) 40
  - (3) 20
  - (4) 80

#### Answer (4)

143. Given below are two statements:

**Statement I**: Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.



- 144. Which of the following combinations is required for chemiosmosis?
  - (1) Membrane, proton pump, proton gradient, NADP synthase
  - (2) Proton pump, electron gradient, ATP synthase
  - (3) Proton pump, electron gradient, NADP synthase
  - (4) Membrane, proton pump, proton gradient, ATP synthase

## Answer (4)

145. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

**Assertion A :** A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

**Reason R:** Internode of the shoot gets condensed to produce different floral appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

## Answer (4)

146. Match List I with List II:

Liet I

	LISUI		LISUII
	(Interaction)		(Species A and
A.	Mutualism	L	+(A), 0(B)
B.	Commensalism	11.	-(A), 0(B)
C.	Amensalism	111.	+(A), -(B)
D.	Parasitism	IV.	+(A), +(B)

Choose the **correct** answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-IV, B-III, C-I, D-II
- (3) A-III, B-I, C-IV, D-II
- (4) A-IV, B-II, C-I, D-III

## Answer (1)

147. Match List I with List II:

liet
------

- A. Cohesion
- B. Adhesion
- C. Surface tension
- D. Guttation

## List II

- I. More attraction in liquid phase
- II. Mutual attraction among water molecules
- III. Water loss in liquid phase
- IV. Attraction towards polar surfaces

Choose the **correct** answer from the options given below:

- (1) A IV, B III, C II, D I
- (2) A III, B I, C IV, D II
- (3) A II, B I, C IV, D III
- (4) A II, B IV, C I, D III



- 148. Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
  - (1) Amylase
  - (2) Lipase
  - (3) Dinitrogenase
  - (4) Succinic dehydrogenase

## Answer (4)

149. Match List I with List II:

## List I List II

- A. Iron I. Synthesis of auxin
- B. Zinc II. Component of nitrate reductase
- C. Boron III. Activator of catalase
- D. Molybdenum IV. Cell elongation and differentiation

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-I, D-IV

## Answer (2)

150. Match List I with List II:

## List I

- A. Oxidative decarboxylation
- B. Glycolysis
- C. Oxidative phosphorylation
- D. Tricarboxylic acid cycle

## List II

- I. Citrate synthase
- II. Pyruvate dehydrogenase
- III. Electron transport system
- IV. EMP pathway

Choose the correct answer from the options given below:

- (1) A II, B IV, C I, D III
- (2) A III, B I, C II, D IV
- (3) A II, B IV, C III, D I
- (4) A III, B IV, C II, D I

## Answer (3)



# **ZOOLOGY**

### **SECTION-A**

- 151. Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?
  - (1) Gonorrhoea
  - (2) Hepatitis-B
  - (3) HIV Infection
  - (4) Genital herpes

### Answer (1)

152. Match List I with List II.

List I		List II
A. CCK	I.	Kidney
B. GIP	II.	Heart
C. ANF	III.	Gastric gland
D. ADH	IV.	Pancreas

Choose the **correct** answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-II, C-III, D-I
- (4) A-IV, B-III, C-II, D-I

# Answer (4)

153. Match List I with List II.

### **List I (Type of Joint)**

- A. Cartilaginous Joint
- B. Ball and Socket Joint
- C. Fibrous Joint
- D. Saddle Joint

### List II (Found between)

- Between flat skull bones
- II. Between adjacent vertebrae in vertebral column
- III. Between carpal and metacarpal of thumb
- IV. Between Humerus and Pectoral girdle

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (3) A-II, B-IV, C-III, D-I

- (2) A-I, B-IV, C-III, D-II
- (4) A-III, B-I, C-II, D-IV

### Answer (1)

- 154. Which of the following statements are correct regarding female reproductive cycle?
  - A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
  - B. First menstrual cycle begins at puberty and is called menopause.
  - C. Lack of menstruation may be indicative of pregnancy.
  - D. Cyclic menstruation extends between menarche and menopause.

Choose the **most appropriate** answer from the options given below.

- (1) A and B only
- (2) A, B and C only
- (3) A, C and D only
- (4) A and D only

# Answer (3)



- 155. Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
  - (1) Numbat, Spotted cuscus, Flying phalanger
  - (2) Mole, Flying squirrel, Tasmanian tiger cat
  - (3) Lemur, Anteater, Wolf
  - (4) Tasmanian wolf, Bobcat, Marsupial mole

### Answer (1)

- 156. Which of the following functions is carried out by cytoskeleton in a cell?
  - (1) Protein synthesis
  - (2) Motility
  - (3) Transportation
  - (4) Nuclear division

# Answer (2)

- 157. Vital capacity of lung is \_\_\_\_\_
  - (1) IRV + ERV + TV + RV

(2) IRV + ERV + TV - RV

(3) IRV + ERV + TV

(4) IRV + ERV

### Answer (3)

158. Match List I with List II.

#### List I

- A. Gene 'a'
- B. Gene 'y'
- C. Gene 'i'
- D. Gene 'z'

#### List II

- β-galactosidase
- II. Transacetylase
- III. Permease
- IV. Repressor protein

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (3) A-III, B-I, C-IV, D-II

- (2) A-III, B-IV, C-I, D-II
- (4) A-II, B-I, C-IV, D-III

### Answer (1)

- 159. Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
  - (1) Serum and Urine analysis
  - (2) Polymerase Chain Reaction (PCR) technique
  - (3) Enzyme Linked Immuno-Sorbent Assay (ELISA) technique
  - (4) Recombinant DNA Technology

### Answer (1)

- 160. Broad palm with single palm crease is visible in a person suffering from-
  - (1) Turner's syndrome
  - (2) Klinefelter's syndrome
  - (3) Thalassemia
  - (4) Down's syndrome

### Answer (4)



161. Given below are two statements:

**Statement I:** Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

### Answer (4)

- 162. In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
  - (1) B-lymphocytes

(2) Basophils

(3) Eosinophils

(4) T<sub>H</sub> cells

### Answer (4)

163. Given below are two statements: one is labelled as Assertion A and other is labelled as Reason R.

**Assertion A :** Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

**Reason R:** Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below.

- (1) Both A and R are true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

### Answer (3)

164. Match List I with List II with respect to human eye.

	LIST I		LIST II
A.	Fovea	I.	Visible coloured portion of eye that regulates diameter of pupil.
B.	Iris	II.	External layer of eye formed of dense connective tissue.
C.	Blind spot	III.	Point of greatest visual acuity or resolution.
D.	Sclera	IV.	Point where optic nerve leaves the eyeball and photoreceptor cells are absent.

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-IV, C-III, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-IV, D-II

#### Answer (4)



165. Given below are two statements:

**Statement I**: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

**Statement II:** When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both **Statement I** and **Statement II** are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both **Statement I** and **Statement II** are true.

### Answer (4)

166. Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: Endometrium is necessary for implantation of blastocyst.

**Reason R:** In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct expiation of A.

### Answer (1)

167. Given below are two statements:

**Statement I:** A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal).

**Statement II:** Adult human haemoglobin, consists of 4 subunits (two subunits of  $\alpha$  type and two subunits of  $\beta$  type.)

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true

#### Answer (3)

- 168. Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by
  - (1) Ileo-caecal valve
  - (2) Gastro-oesophageal sphincter
  - (3) Pyloric sphincter
  - (4) Sphincter of Oddi

### Answer (1)

169. Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**.



Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

### Answer (2)

### 170. Given below are two statements:

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement I** and **Statement II** are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

### Answer (3)

#### Match List I with List II.

	List I		List II	
A.	P-wave	I.	Beginning of systole	
В.	Q-wave	II.	Repolarisation of ventricles	
C.	QRS complex	III.	Depolarisation of atria	
D.	T-wave	IV.	Depolarisation of ventricles	
Choose the <b>correct</b> answer from the options given below				

- (1) A-IV, B-III, C-II, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-I, B-II, C-III, D-IV
- (4) A-III, B-I, C-IV, D-II

### Answer (4)

#### Match List I with List II. 172.



# List I

### (Interacting species)

- A Leopard and a Lion in a forest/grassland A.
- A Cuckoo laying egg in a Crow's nest B.
- C. Fungi and root of a higher plant in Mycorrhizae
- D. A cattle egret and a Cattle in a field

### List II

### (Name of interaction)


- I. Competition
- II. **Brood parasitism**
- Mutualism III.
- IV. Commensalism


Choose the **correct** answer from the options given below.

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-I, D-IV
- (4) A-I, B-II, C-III, D-IV


# Answer (4)

Which one of the following symbols represents mating between relatives in human pedigree analysis? 173.









### Answer (1)

- Which of the following statements is correct?
  - (1) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.
  - (2) Presence of large amount of nutrients in water restricts 'Algal Bloom'
  - (3) Algal Bloom decreases fish mortality
  - (4) Eutrophication refers to increase in domestic sewage and waste water in lakes.

### Answer (1)

- Which of the following is not a cloning vector? 175.
  - (1) YAC
  - (2) pBR322
  - (3) Probe
  - (4) BAC

### Answer (3)

176. Match List I with List II.

ist I			

A. Vasectomy

B. Coitus interruptus

C. Cervical caps

Saheli D.

List II I. Oral method

Barrier method II.

III. Surgical method

Natural method IV.

Choose the **correct** answer from the options given below:

(1) A-III, B-IV, C-II, D-I

(2) A-II, B-III, C-I, D-IV

(3) A-IV, B-II, C-I, D-III

(4) A-III, B-I, C-IV, D-II

### Answer (1)

Given below are two statements: 177.



Statement I: RNA mutates at a faster rate.

Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

### Answer (4)

# 178. Match List I with List II

List I		List II			
(Cells)		(Sec	cretion)		
A.	Peptic cells	I.	Mucus		
B.	Goblet cells	II.	Bile juice		
C.	Oxyntic cells	III.	Proenzyme peps		

C. Oxyntic cells III. Proenzyme pepsinogen

D. Hepatic cells IV. HCl and intrinsic factor for absorption of vitamin  $B_{12}$ 

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-III, C-II, D-I

# Answer (2)

### 179. Match List I with List II.

	List I		List II
A.	Ringworm	I.	Haemophilus influenzae
B.	Filariasis	II.	Trichophyton

C. Malaria III. Wuchereria bancrofti
D. Pneumonia IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-II, C-I, D-IV
- (3) A-III, B-II, C-IV, D-I
- (4) A-II, B-III, C-IV, D-I

### Answer (4)

- 180. Which of the following are NOT considered as the part of endomembrane system?
  - A. Mitochondria
  - B. Endoplasmic reticulum
  - C. Chloroplasts
  - D. Golgi complex
  - E. Peroxisomes

Choose the most appropriate answer from the options given below:

- (1) A, C and E only
- (2) A and D only
- (3) A, D and E only
- (4) B and D only

### Answer (1)

181. Given below are two statements:



Statement I: Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

### Answer (1)

182. Match List I with List II.

	LIST I		LIST II
A.	Taenia	I.	Nephridia
B.	Paramoecium	II.	Contractile vacuole
C.	Periplaneta	III.	Flame cells
D.	Pheretima	IV.	Urecose gland
Cho	ose the <b>correct</b> answer from the options give	en below:	
(1)	A-I, B-II, C-IV, D-III	(2)	A-III, B-II, C-IV, D-I
(3)	A-II, B-I, C-IV, D-III	(4)	A-I, B-II, C-III, D-IV
_			

### Answer (2)

183. Match List I with List II.

#### List I

- A. Heroin
- B. Marijuana
- C. Cocaine
- D. Morphine

### List II

1 1 - 4 11

- Effect on cardiovascular system
- II. Slow down body function
- III. Painkiller
- IV. Interfere with transport of dopamine

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-I, C-IV, D-III

### Answer (4)

184. Given below are two statements:

Statement I: Electrostatic precipitator is most widely used in thermal power plant.

Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

### Answer (2)

185. Radial symmetry is NOT found in adults of phylum \_\_\_\_\_.

(1)	Hemichordata	(2)	Coelenterata
(3)	Echinodermata	(4)	Ctenophora



### **SECTION-B**

- 186. Select the correct statements.
  - A. Tetrad formation is seen during Leptotene.
  - B. During Anaphase, the centromeres split and chromatids separate.
  - C. Terminalization takes place during Pachytene.
  - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
  - E. Crossing over takes place between sister chromatids of homologous chromosome.

Choose the **correct** answer from the options given below:

- (1) B and D only
- (2) A, C and E only
- (3) B and E only
- (4) A and C only

### Answer (1)

- 187. Which one of the following is NOT an advantage of inbreeding?
  - (1) It exposes harmful recessive genes but are eliminated by selection.
  - (2) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
  - (3) It decreases the productivity of inbred population, after continuous inbreeding.
  - (4) It decreases homozygosity.

### Answer (3)

- 188. The unique mammalian characteristics are:
  - (1) hairs, pinna and mammary glands
  - (2) hairs, pinna and indirect development
  - (3) pinna, monocondylic skull and mammary glands
  - (4) hairs, tympanic membrane and mammary glands

### Answer (1)

189. Given below are two statements:

**Statement I:** During G<sub>0</sub> phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes duplication during S phase of interphase.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both **Statement I** and **Statement II** are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct

#### Answer (3)

- 190. Which of the following statements are correct regarding skeletal muscle?
  - A. Muscle bundles are held together by collagenous connective tissue layer called fascicle.
  - B. Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
  - C. Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
  - D. M line is considered as functional unit of contraction called sarcomere.

Choose the **most appropriate** answer from the options given below:

(1) B and C only

(2) A, C and D only

(3) C and D only

(4) A, B and C only



- 191. Which of the following statements are correct?
  - A. Basophils are most abundant cells of the total WBCs
  - B. Basophils secrete histamine, serotonin and heparin
  - C. Basophils are involved in inflammatory response
  - D. Basophils have kidney shaped nucleus
  - E. Basophils are agranulocytes

Choose the correct answer from the options given below:

(1) C and E only

(2) B and C only

(3) A and B only

(4) D and E only

### Answer (2)

- 192. In cockroach, excretion is brought about by-
  - A. Phallic gland
  - B. Urecose gland
  - C. Nephrocytes
  - D. Fat body
  - E. Collaterial glands

Choose the correct answer from the options given below:

- (1) A, B and E only
- (2) B, C and D only
- (3) B and D only
- (4) A and E only

### Answer (2)

- 193. Which of the following statements are correct?
  - A. An excessive loss of body fluid from the body switches off osmoreceptors.
  - B. ADH facilitates water reabsorption to prevent diuresis.
  - C. ANF causes vasodilation.
  - D. ADH causes increase in blood pressure.
  - E. ADH is responsible for decrease in GFR.

Choose the **correct** answer from the options given below:

- (1) B, C and D only
- (2) A, B and E only
- (3) C, D and E only
- (4) A and B only

### Answer (1)

- 194. Select the correct statements with reference to chordates.
  - A. Presence of a mid-dorsal, solid and double nerve cord.
  - B. Presence of closed circulatory system.
  - C. Presence of paired pharyngeal gill slits.
  - D. Presence of dorsal heart
  - E. Triploblastic pseudocoelomate animals.

Choose the correct answer from the options given below:

- (1) B and C only
- (2) B, D and E only
- (3) C, D and E only
- (4) A, C and D only



Match List I with List II. 195.

List I List II A. Logistic growth I. Unlimited resource availability condition II. Limited resource availability condition B. Exponential growth C. Expanding age pyramid III. The percent individuals of pre-reproductive age is largest followed by reproductive and post reproductive age groups D. Stable age pyramid IV. The percent individuals of pre-reproductives and reproductive age group are same Choose the correct answer from the options given below: (1) A-II, B-III, C-I, D-IV (2) A-II, B-IV, C-I, D-III (3) A-II, B-IV, C-III, D-I (4) A-II, B-I, C-III, D-IV Answer (4) Match List I with List II. 196. List I List II A. Mast cells 1. Ciliated epithelium Inner surface of bronchiole II. Areolar connective tissue B. C. Blood III. Cuboidal epithelium D. Tubular parts of nephron IV. Specialised connective tissue Choose the **correct** answer from the options give below: (1) A-II, B-III, C-I, D-IV A-II, B-I, C-IV, D-III (3) A-III, B-IV, C-II, D-I (4) A-I, B-II, C-IV, D-III Answer (2) The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, 197. rage, fear etc. are: (1) Corpora quadrigemina and hippocampus (2) Brain stem and epithalamus (3) Corpus callosum and thalamus (4) Limbic system and hypothalamus Answer (4) Which of the following are NOT under the control of thyroid hormone? 198. Maintenance of water and electrolyte balance B. Regulation of basal metabolic rate C. Normal rhythm of sleep-wake cycle D. Development of immune system Support the process of RBCs formation Choose the **correct** answer from the options given below: (1) B and C only (2) C and D only (3) D and E only (4) A and D only Answer (2)

Which of the following is characteristic feature of cockroach regarding sexual dimorphism? 199.

(1) Presence of anal styles

(2) Presence of sclerites

(3) Presence of anal cerci

(4) Dark brown body colour and anal cerci



- - (1) 3' UAGCUAGCUAGCUAGCUAGCUAGC 5'
  - (2) 5' ATCGATCGATCGATCGATCGATCG 3'
  - (3) 3' ATCGATCGATCGATCGATCGATCG 5'
  - (4) 5' UAGCUAGCUAGCUAGCUAGCUAGC 3'

Answer (2)



