DATE: 07/05/2023 Test Booklet Code



H2

Corporate Office: Aakash Tower, 8, Pusa Road, New Delhi-110005 | Ph.: 011-47623456

Questions & Answers

NEET (UG)-2023

Important Instructions:

- The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
 50 questions in each subject are divided into two sections (A and B) as per details given below:
 - (a) **Section A** shall consist of **35 (Thirty-five)** Questions in each subject (Question Nos. 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All Questions are compulsory.
 - (b) **Section B** shall consist of **15 (Fifteen)** questions in each subject (Question Nos. 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In section B, a candidate needs to **attempt any 10 (Ten)** questions out of **15 (Fifteen)** in each subject.

Candidates are advised to read all 15 questions in each subject of Section-B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

- 2. Each question carries **4 marks**. For each correct response, the candidate will get **4 marks**. For each incorrect response, **1 mark** will be deducted from the total scores. The maximum marks are **720**.
- Use Blue / Black Ball point Pen only for writing particulars on this page / marking responses on Answer Sheet
- 4. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate **must handover the Answer Sheet (ORIGINAL and OFFICE Copy)** to the **Invigilator** before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is H2.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
- 8. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- No candidate, without special permission of the Centre Superintendent or Invigilator, would leave his/her seat.
- 10. Use of Electronic/Manual Calculator is prohibited.
- 11. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 12. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 13. The candidates will write the Correct Test Booklet Code as given in the Test Booklet / Answer Sheet in the Attendance Sheet.



PHYSICS

SECTION-A

- 1. The ratio of radius of gyration of a solid sphere of mass *M* and radius *R* about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is
 - (1) 2:5

(2) 5:2

(3) 3:5

(4) 5:3

Answer (3*)

- 2. A 12 V, 60 W lamp is connected to the secondary of a step-down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
 - (1) 3.7 A


(2) 0.37 A

(3) 0.27 A

(4) 2.7 A

Answer (3)

3. If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by



(1) 100Ω

(2) 400Ω

(3) 200Ω

(4) 50 Ω

Answer (1)

- 4. A full wave rectifier circuit consists of two p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?
 - (1) Capacitor

(2) Load resistance

(3) A centre-tapped transformer

(4) p-n junction diodes

Answer (1)

- 5. The work functions of Caesium (Cs), Potassium (K) and Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV, which of these photosensitive surfaces may emit photoelectrons?
 - (1) K only

(2) Na only

(3) Cs only

(4) Both Na and K

Answer (3)

- 6. The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is
 - (1) 1:3

(2) 3:1

(3) 1:2

(4) 2:1

Answer (4)

- 7. The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly (surface tension of soap solution = 0.03 N m^{-1})
 - (1) $3.01 \times 10^{-4} \text{ J}$

(2) $50.1 \times 10^{-4} \text{ J}$

(3) $30.16 \times 10^{-4} \text{ J}$

(4) $5.06 \times 10^{-4} \text{ J}$

Answer (1)

- 8. Let a wire be suspended from the ceiling (rigid support) and stretched by a weight *W* attached at its free end. The longitudinal stress at any point of cross-sectional area *A* of the wire is
 - (1) W/2A

(2) Zero

(3) 2W/A

(4) W/A

Answer (4)

- 9. A vehicle travels half the distance with speed *v* and the remaining distance with speed 2*v*. Its average speed is
 - (1) $\frac{4v}{3}$

 $(2) \quad \frac{3v}{4}$

(3) $\frac{v}{3}$

 $(4) \quad \frac{2v}{3}$

Answer (1)

10. For Young's double slit experiment, two statements are given below:

Statement I: If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

Statement II: If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (1)

- Light travels a distance x in time t_1 in air and 10x in time t_2 in another denser medium. What is the critical angle for this medium?
 - $(1) \quad \sin^{-1}\left(\frac{t_1}{10 t_2}\right)$

 $(2) \quad \sin^{-1}\left(\frac{10 \ t_1}{t_2}\right)$

(3) $\sin^{-1}\left(\frac{t_2}{t_1}\right)$


 $(4) \quad \sin^{-1}\left(\frac{10t_2}{t_1}\right)$

Answer (2)

- 12. An ac source is connected to a capacitor C. Due to decrease in its operating frequency
 - (1) Displacement current decreases
- (2) Capacitive reactance remains constant
- (3) Capacitive reactance decreases
- (4) Displacement current increases



13. The equivalent capacitance of the system shown in the following circuit is



(1) 6 μF

(2) 9 μF

(3) 2 μF

(4) 3 μF

Answer (3)

14. In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of 2.0×10^{10} Hz and amplitude 48 V m⁻¹. Then the amplitude of oscillating magnetic field is (Speed of light in free space = 3×10^8 m s⁻¹)

(1) $1.6 \times 10^{-7} \text{ T}$

(2) $1.6 \times 10^{-6} \text{ T}$

(3) $1.6 \times 10^{-9} \text{ T}$

(4) $1.6 \times 10^{-8} \text{ T}$

Answer (1)

15. In hydrogen spectrum, the shortest wavelength in the Balmer series is λ . The shortest wavelength in the Bracket series is

(1) 9 λ

(2) 16λ

(3) 2λ

(4) 4λ

Answer (4)

16. A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be

(1) 1.6%

(2) 1.4%

(3) 1.2%

(4) 1.3%

Answer (1)

17. A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is

(1) Along north-east

(2) Along south-west

(3) Along eastward

(4) Along northward

Answer (1)

18. The temperature of a gas is –50°C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?

(1) 3097 K

(2) 223 K

(3) 669°C

(4) 3295°C

Answer (4)

19. Resistance of a carbon resistor determined from colour codes is (22000 \pm 5%) Ω . The colour of third band must be

(1) Orange

(2) Yellow

(3) Red

(4) Green

- 20. A bullet is fired from a gun at the speed of 280 m s⁻¹ in the direction 30° above the horizontal. The maximum height attained by the bullet is ($q = 9.8 \text{ m s}^{-2}$, $\sin 30^\circ = 0.5$)
 - (1) 1000 m

(2) 3000 m

(3) 2800 m

(4) 2000 m

Answer (1)

- 21. A Carnot engine has an efficiency of 50% when its source is at a temperature 327°C. The temperature of the sink is
 - (1) 100°C

(2) 200°C

(3) 27°C

(4) 15°C

Answer (3)

22. In a series *LCR* circuit, the inductance *L* is 10 mH, capacitance *C* is 1 μ F and resistance *R* is 100 Ω . The frequency at which resonance occurs is

(1) 1.59 rad/s

(2) 1.59 kHz

(3) 15.9 rad/s

(4) 15.9 kHz

Answer (2)

- 23. If $\oint_{S} \vec{E} \cdot \vec{dS} = 0$ over a surface, then
 - (1) All the charges must necessarily be inside the surface
 - (2) The electric field inside the surface is necessarily uniform
 - (3) The number of flux lines entering the surface must be equal to the number of flux lines leaving it
 - (4) The magnitude of electric field on the surface is constant

Answer (3)

Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant)

$$(1) \quad -\frac{16Gm}{R}$$


$$(2) \quad -\frac{20\,Gm}{R}$$

(3)
$$-\frac{8Gm}{R}$$

$$(4) \quad -\frac{12Gm}{R}$$

Answer (1)

25. The magnitude and direction of the current in the following circuit is



(1) $\frac{5}{9}$ A from A to B through E

(2) 1.5 A from B to A through E

(3) 0.2 A from B to A through E

(4) 0.5 A from A to B through E

Answer (4)



Aaka Tobyuu	sh B			NEET	(UG)-2023 (Code-H2)
26.	The minimum wavelength of X-rays produced by a V volts is proportional to	n elec	tron accelerated	through a	potential difference of
	$(1) \frac{1}{\sqrt{V}}$	(2)	V ²		
	(3) \sqrt{V}	(4)	$\frac{1}{V}$		

Answer (4)

27. The angular acceleration of a body, moving along the circumference of a circle, is

(1) Along the tangent to its position

(2) Along the axis of rotation

(3) Along the radius, away from centre

(4) Along the radius towards the centre

Answer (2)

28. The magnetic energy stored in an inductor of inductance 4 μ H carrying a current of 2 A is

(1) 8 mJ

(2) 8 μJ

(3) $4 \mu J$

(4) 4 mJ

Answer (2)

29. The half life of a radioactive substance is 20 minutes. In how much time, the activity of substance drops to

 $\left(\frac{1}{16}\right)^{th}$ of its initial value?

(1) 60 minutes

(2) 80 minutes

(3) 20 minutes

(4) 40 minutes

Answer (2)

30. The potential energy of a long spring when stretched by 2 cm is *U*. If the spring is stretched by 8 cm, potential energy stored in it will be

(1) 8 U

(2) 16 U

(3) 2 U

(4) 4 U

Answer (2)

31. The venturi-meter works on

(1) The principle of parallel axes

(2) The principle of perpendicular axes

(3) Huygen's principle

(4) Bernoulli's principle

Answer (4)

32. The net magnetic flux through any closed surface is

(1) Infinity

(2) Negative

(3) Zero

(4) Positive

Answer (3)

33. Given below are two statements:

Statement I: Photovoltaic devices can convert optical radiation into electricity.

Statement II: Zener diode is designed to operate under reverse bias in breakdown region.

In the light of the above statements, choose the *most appropriate* answer from the options given below.

(1) Statement I is correct but Statement II is incorrect

(2) Statement I is incorrect but Statement II is correct

(3) Both Statement I and Statement II are correct

(4) Both Statement I and Statement II are incorrect

- 34. The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are
 - (1) Least count errors
 - (2) Random errors
 - (3) Instrumental errors
 - (4) Personal errors

Answer (2)

- 35. An electric dipole is placed at an angle of 30° with an electric field of intensity 2×10^{5} N C⁻¹. It experiences a torque equal to 4 N m. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.
 - (1) 4 mC

(2) 2 mC


(3) 8 mC

(4) 6 mC

Answer (2)

SECTION-B

36. The x-t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t = 2 s is



(1) $\frac{\pi^2}{16}$ m s⁻²

(2) $-\frac{\pi^2}{16} \text{ m s}^{-2}$

(3) $\frac{\pi^2}{8}$ m s⁻²

(4) $-\frac{\pi^2}{8}$ m s⁻²

Answer (2)

- 37. A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 m s⁻¹. The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take $g = 10 \text{ m s}^{-2}$)
 - (1) 64 m

(2) 68 m

(3) 56 m

(4) 60 m

Answer (1)


- 38. A wire carrying a current I along the positive x-axis has length L. It is kept in a magnetic field $\vec{B} = (2\hat{i} + 3\hat{j} 4\hat{k}) \, T$. The magnitude of the magnetic force acting on the wire is
 - (1) 5 IL
 - (2) $\sqrt{3}$ IL
 - (3) 3 IL
 - (4) √5 *IL*



39.	The resistance of platinum wire at 0°C is 2 Ω and 6.8 Ω at 80°C. The temperature coefficient of resistance of the wire is			
	(1)	3 × 10 ⁻² °C ⁻¹		
	(2)	3 × 10 ⁻¹ °C ⁻¹		
	(3)	3 × 10 ⁻⁴ °C ⁻¹		
	(4)	3 × 10 ⁻³ °C ⁻¹		
	Ans	swer (1)		
40.		radius of inner most orbit of hydrogen atom is 5 rogen atom?	.3 × 1	10 ⁻¹¹ m. What is the radius of third allowed orbit of
	(1)	1.59 Å		
	(2)	4.77 Å		
	(3)	0.53 Å		
	(4)	1.06 Å		
	Ans	swer (2)		
41.	resis			ries to a battery of emf E and negligible internal ame battery, the current is increased n times. The
	(1)	1	(2)	1000
	(3)	10	(4)	100
	Ans	swer (4)		111'5
42.	A sa	atellite is orbiting just above the surface of the ea	rth wi	th period T . If d is the density of the earth and G is
	the	universal constant of gravitation, the quantity $rac{3\pi}{Gd}$	repre	esents
	(1)	<i>T</i> ³	(2)	\sqrt{T}
	(3)	Т	(4)	<i>T</i> ²
	Ans	swer (4)		
43.		o thin lenses are of same focal lengths (f), but one sed in contact with each other, the equivalent focal		onvex and the other one is concave. When they are gth of the combination will be
	(1)	$\frac{f}{2}$		
	(2)	Infinite		
	(3)	Zero		

 $(4) \quad \frac{f}{4}$

44. For the following logic circuit, the truth table is



- A B Y 0 0 1
- (1) 0 1 0
 - 1 0 1
 - A B Y
- 0 0 1 (3) 0 1 1
- 1 0 1

- A B Y 0 0 0
- (2) 0 1 0
 - 1 0 0
 - 1 1 1
 - A B Y
- 0 0 0
- 1 0 1

Answer (4)

45. A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet becomes $\frac{u}{3}$. Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is

(1) 28 cm

(2) 30 cm

(3) 27 cm

(4) 24 cm

Answer (3)


46. In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?

 $n_1 = 1.5$ $R_1 = R_2 = 20 \text{ cm}$ $R_2 = 1.6$

- (1) -100 cm
- (2) -50 cm
- (3) 40 cm
- (4) -40 cm



47. An electric dipole is placed as shown in the figure.




The electric potential (in 10² V) at point *P* due to the dipole is (ϵ_0 = permittivity of free space and $\frac{1}{4\pi \epsilon_0} = K$)

- $(1) \quad \left(\frac{8}{5}\right) qK$
- (2) $\left(\frac{8}{3}\right)qK$
- (3) $\left(\frac{3}{8}\right)qk$
- (4) $\left(\frac{5}{8}\right)qK$

Answer (3)

48. A very long conducting wire is bent in a semi-circular shape from *A* to *B* as shown in figure. The magnetic field at point *P* for steady current configuration is given by



- (1) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed away from page
- (2) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed into the page

(3) $\frac{\mu_0 i}{4R}$ pointed into the page

(4) $\frac{\mu_0 i}{4R}$ pointed away from the page

Answer (1)

- 49. Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 (g = 10 m s⁻²).
 - (1) 1.5 m s^{-2}


(2) 50 m s^{-2}

(3) 1.2 m s^{-2}

(4) 150 m s⁻²

Answer (1)

50. The net impedance of circuit (as shown in figure) will be



(1) $5\sqrt{5} \Omega$

(2) 25Ω

(3) $10\sqrt{2} \Omega$

(4) 15Ω

CHEMISTRY

SECTION-A

51. Amongst the following the total number of species NOT having eight electrons around central atom in its outermost shell, is

NH₃, AlCl₃, BeCl₂, CCl₄, PCl₅:

(1) 4

(2) 1

(3) 3

(4) 2

Answer (3)

- 52. Some tranquilizers are listed below. Which one from the following belongs to barbiturates?
 - (1) Valium

(2) Veronal

(3) Chlordiazepoxide

(4) Meprobamate

Answer (2)

53. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: A reaction can have zero activation energy.


Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

54. The given compound



is an example of _____.

(1) Allylic halide

(2) Vinylic halide

(3) Benzylic halide

(4) Aryl halide

Answer (1)

- 55. The number of σ bonds, π bonds and lone pair of electrons in pyridine, respectively are:
 - (1) 11, 3, 1

(2) 12, 2, 1

(3) 11, 2, 0

(4) 12, 3, 0



- The **right** option for the mass of CO₂ produced by heating 20 g of 20% pure limestone is (Atomic mass of Ca = 40) $\left[\text{CaCO}_3 \xrightarrow{1200 \, \text{K}} \text{CaO} + \text{CO}_2 \right]$
 - (1) 2.64 g

(2) 1.32 g

(3) 1.12 g

(4) 1.76 g

Answer (4)

- 57. Which one is an example of heterogenous catalysis?
 - (1) Decomposition of ozone in presence of nitrogen monoxide
 - (2) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron
 - (3) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen
 - (4) Hydrolysis of sugar catalysed by H⁺ ions

Answer (2)

58. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

Reason R: The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the correct answer from the options given below:


- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A

Answer (1)


- 59. Which one of the following statements is **correct**?
 - (1) The bone in human body is an inert and unchanging substance
 - (2) Mg plays roles in neuromuscular function and interneuronal transmission
 - (3) The daily requirement of Mg and Ca in the human body is estimated to be 0.2-0.3 g
 - (4) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor


Answer (3)

60. Identify the product in the following reaction:











Answer (4)

- 61. For a certain reaction, the rate = $k[A]^2[B]$, when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) Increase by a factor of nine

(2) Increase by a factor of three

(3) Decrease by a factor of nine

(4) Increase by a factor of six

Answer (1)

- 62. Which of the following statements are **NOT** correct?
 - A. Hydrogen is used to reduce heavy metal oxides to metals.
 - B. Heavy water is used to study reaction mechanism.
 - C. Hydrogen is used to make saturated fats from oils.
 - D. The H–H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any elements.
 - E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the **most appropriate** answer from the options given below:

(1) D, E only

(2) A, B, C only

(3) B, C, D, E only

(4) B, D only

Answer (1)

- 63. Homoleptic complex from the following complexes is
 - (1) Pentaamminecarbonatocobalt (III) chloride
- (2) Triamminetriaquachromium (III) chloride
- (3) Potassium trioxalatoaluminate (III)
- (4) Diamminechloridonitrito-N-platinum (II)

Answer (3)

- 64. In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe³⁺ due to the formation of
 - (1) [Fe(CN)₅NOS]⁴⁻

(2) [Fe(SCN)]²⁺

(3) Fe₄[Fe(CN)₆]₃·xH₂O

(4) NaSCN

Answer (2)



65. Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**

Assertion A : In equation $\Delta_r G = -nFE_{cell'}$ value of $\Delta_r G$ depends on n.

Reasons R: E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.

In the light of the above statements, choose the **correct** answer from the options given below

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

66. Identify product (A) in the following reaction:

$$\frac{\text{Zn-Hg}}{\text{conc. HCl}}$$
 (A) + 2H₂O

Answer (3)

- 67. The relation between n_m , (n_m = the number of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (I), is
 - (1) $n_m = 2l^2 + 1$

(2) $n_m = I + 2$

(3) $I = \frac{n_m - 1}{2}$

(4) $I = 2n_m + 1$

Answer (3)

- 68. The stability of Cu²⁺ is more than Cu⁺ salts in aqueous solution due to
 - (1) Hydration energy
 - (2) Second ionisation enthalpy
 - (3) First ionisation enthalpy
 - (4) Enthalpy of atomization



69. Match List-I with List-II.

List-I

List-II

A. Coke

I. Carbon atoms are sp³ hybridised

B. Diamond

II. Used as a dry lubricant

C. Fullerene

III. Used as a reducing agent

D. Graphite

IV. Cage like molecules

Choose the **correct** answer from the options given below :

(1) A-III, B-I, C-IV, D-II

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-IV, C-I, D-III

(4) A-IV, B-I, C-II, D-III

Answer (1)

- 70. Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is :
 - (1) 30

(2) 18

(3) 16

(4) 32

Answer (4)

71. Complete the following reaction

$$\begin{array}{c}
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\$$

$$\xrightarrow{\text{conc. H}_2 SO_4} [C]$$



Answer (2)

72. Given below are two statements:

Statement I: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside.


Statement II: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.


In the light of the above statements, choose the **correct** answer from the options given below:


- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false




73. Which amongst the following options is **correct** graphical representation of Boyle's law?









Answer (4)

74. A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is A_xB_y , then the value of x + y is in option

Answer (3)

75. Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:

A. dipole - dipole forces

B. dipole - induced dipole forces

C. hydrogen bonding

D. covalent bonding

E. dispersion forces

Choose the \boldsymbol{most} $\boldsymbol{appropriate}$ answer from the options given below :

Answer (1)

76. The ${\color{blue} correct}$ order of energies of molecular orbitals of N_2 molecule, is

(1)
$$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$$

(2)
$$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$$

$$(3) \quad \sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$$

(4)
$$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$$

- 77. Taking stability as the factor, which one of the following represents correct relationship?
 - (1) AICI > AICI₃

(2) $T\ell I > T\ell I_3$

(3) $T\ell Cl_3 > T\ell Cl$

(4) $lnl_3 > lnl$

Answer (2)

- 78. The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm-1 cm-1 and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is
 - (1) 1.26 cm⁻¹

(2) 3.34 cm⁻¹

(3) 1.34 cm⁻¹

(4) 3.28 cm⁻¹

Answer (1)

- 79. Which of the following reactions will NOT give primary amine as the product?
 - (1) $CH_3NC \xrightarrow{(i) LiAlH_4} Product$

- (2) $CH_3CONH_2 \xrightarrow{(i) LiAlH_4} Product$
- (3) $CH_3CONH_2 \xrightarrow{Br_2/KOH} Product$
- (4) $CH_3CN \xrightarrow{(i)LiAlH_4} Product$

Answer (1)

- 80. The element expected to form largest ion to achieve the nearest noble gas configuration is
 - (1) N

(3) O

Answer (1)

81. Which amongst the following molecules on polymerization produces neoprene?

(1)
$$H_2C = CH - C \equiv CH$$

(3)
$$H_2C = CH - CH = CH_2$$

(4)
$$H_2C = C - CH = CH_2$$

Answer (4)

82. Consider the following reaction and identify the product (P).

$$\begin{array}{c|c}
CH_3-CH-CH-CH_3 & \xrightarrow{HBr} Product (P) \\
CH_3 & OH
\end{array}$$

3-Methylbutan-2-ol

(2)
$$CH_3 - C - CH_2Br$$

 $CH_3 - C - CH_2Br$
 CH_3

(4) $CH_3CH = CH - CH_3$



- 83. Select the **correct** statements from the following
 - A. Atoms of all elements are composed of two fundamental particles.
 - B. The mass of the electron is 9.10939×10^{-31} kg.
 - C. All the isotopes of a given element show same chemical properties.
 - D. Protons and electrons are collectively known as nucleons.
 - E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

Choose the correct answer from the options given below

(1) A and E only

(2) B, C and E only

(3) A, B and C only

(4) C, D and E only

Answer (2)

84. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R

Assertion A: Helium is used to dilute oxygen in diving apparatus.

Reason R: Helium has high solubility in O2.

In the light of the above statements, choose the correct answer from the options given below

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

- 85. Amongst the given options which of the following molecules/ ion acts as a Lewis acid?
 - (1) BF₃

(2) OH-

(3) NH₃

(4) H₂O

Answer (1)

SECTION-B

86. Match List-I with List-II:

List-I (Oxoacids of Sulphur)

List-II (Bonds)

- A. Peroxodisulphuric acid
- I. Two S–OH, Four S=O, One S–O–S

B. Sulphuric acid

II. Two S-OH, One S=O

C. Pyrosulphuric acid

III. Two S-OH, Four S=O, One S-O-O-S

D. Sulphurous acid

IV. Two S-OH, Two S=O

Choose the **correct** answer from the options given below.

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A–I, B–III, C–II, D–IV
- (4) A-III, B-IV, C-I, D-II

Answer (4)



87. Consider the following reaction:

$$CH_2 - O \longrightarrow HI \longrightarrow A + B$$

Identify products A and B.

(1)
$$A = \bigcirc CH_2I$$
 and $B = \bigcirc OH_2I$

(3)
$$A = \bigcirc CH_{3}$$
 and $B = \bigcirc OH$

OH (2)
$$A = CH_3$$
 and $B = I$

(4)
$$A = \bigcirc CH_2OH \text{ and } B = \bigcirc$$

Answer (1)

- 88. The equilibrium concentrations of the species in the reaction $A + B \rightleftharpoons C + D$ are 2, 3, 10 and 6 mol L^{-1} , respectively at 300 K. ΔG° for the reaction is (R = 2 cal/mol K)
 - (1) -1381.80 cal


(2) -13.73 cal

(3) 1372.60 cal


(4) -137.26 cal

Answer (1)


89. Identify the major product obtained in the following reaction:




 $3^{-}OH \xrightarrow{\Delta} major product$



(3) OH OH





Answer (1)

- 90. Pumice stone is an example of
 - (1) Solid sol

(2) Foam

(3) Sol

(4) Gel

Answer (1)

- 91. Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?
 - (1) $\Delta H \Delta U = -\Delta nRT$

(2) $\Delta H + \Delta U = \Delta nR$

(3) $\Delta H = \Delta U - \Delta n_g RT$

(4) $\Delta H = \Delta U + \Delta n_q RT$

Answer (4)



- 92. The reaction that does **NOT** take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is :
 - (1) $C + CO_2 \rightarrow 2CO$


(2) CaO + SiO₂ \rightarrow CaSiO₃

(3) $Fe_2O_3 + CO \rightarrow 2FeO + CO_2$

(4) FeO + CO \rightarrow Fe + CO₂

Answer (3)

93. Consider the following compounds/species:







The number of compounds/species which obey Huckel's rule is _____

(1) 2


(2) 5

(3) 4

(4) 6

Answer (3)

94. Which amongst the following will be most readily dehydrated under acidic conditions?



Answer (4)

- 95. What fraction of one edge centred octahedral void lies in one unit cell of fcc?
 - (1) $\frac{1}{4}$

(2) $\frac{1}{12}$

(3) $\frac{1}{2}$

 $(4) \frac{1}{3}$

Answer (1)

96. Identify the final product [D] obtained in the following sequence of reactions.

$$CH_{3}CHO \xrightarrow{i)LiAIH_{4}} [A] \xrightarrow{H_{2}SO_{4}} [B]$$

$$\xrightarrow{\mathsf{HBr}} [\mathsf{C}] \xrightarrow{\mathsf{Na/dry ether}} [\mathsf{D}]$$



(1) C_4H_{10}

(2) $HC \equiv C^{\Theta}Na^{+}$

(3)

(4)

Answer (3)

97. Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both **Statement I** and **Statement II** are false.

Answer (2)

- 98. Which of the following statements are **INCORRECT**?
 - A. All the transition metals except scandium form MO oxides which are ionic.
 - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc₂O₃ to Mn₂O₇.
 - C. Basic character increases from V_2O_3 to V_2O_4 to V_2O_5 .
 - D. V_2O_4 dissolves in acids to give VO_4^{3-} salts.
 - E. CrO is basic but Cr₂O₃ is amphoteric.

Choose the **correct** answer from the options given below:

(1) C and D only

(2) B and C only

(3) A and E only

(4) B and D only

Answer (1)

- 99. Which complex compound is most stable?
 - (1) $\left[\operatorname{CoCl}_{2}\left(\operatorname{en}\right)_{2}\right]\operatorname{NO}_{3}$

(2) $\left[\text{Co}(\text{NH}_3)_6 \right]_2 (\text{SO}_4)_3$

(3) $\left[\text{Co}(\text{NH}_3)_4 (\text{H}_2\text{O}) \text{Br} \right] (\text{NO}_3)_2$

(4) $\left[\text{Co}(\text{NH}_3)_3 (\text{NO}_3)_3 \right]$

Answer (1)

100. On balancing the given redox reaction,

$$aCr_2O_7^{2-} + bSO_3^{2-}(aq) + cH^+(aq) \rightarrow 2aCr^{3+}(aq) + bSO_4^{2-}(aq) + \frac{c}{2}H_2O(I)$$

the coefficients a, b and c are found to be, respectively-

(1) 1, 8, 3

(2) 8, 1, 3

(3) 1, 3, 8

(4) 3, 8, 1



BOTANY

SECTION-A

- 101. What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
 - (1) Transcription of precursor of mRNA
 - (2) Transcription of only snRNAs
 - (3) Transcription of rRNAs (28S, 18S and 5.8S)
 - (4) Transcription of tRNA, 5S rRNA and snRNA

Answer (3)

- 102. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
 - (1) Monoadelphous and Monothecous anthers
 - (2) Epiphyllous and Dithecous anthers
 - (3) Diadelphous and Dithecous anthers
 - (4) Polyadelphous and epipetalous stamens

Answer (4)

103. In the equation GPP - R = NPP

GPP is Gross Primary Productivity

NPP is Net Primary Productivity

R here is _____.

- (1) Respiratory loss
- (2) Reproductive allocation
- (3) Photosynthetically active radiation
- (4) Respiratory quotient

Answer (1)

- 104. Spraying of which of the following phytohormone on juvenile conifers helps hastening the maturity period, that leads early seed production?
 - (1) Zeatin
 - (2) Abscisic Acid
 - (3) Indole-3-butyric Acid
 - (4) Gibberellic Acid

Answer (4)

- 105. Axile placentation is observed in
 - (1) Tomato, Dianthus and Pea
 - (2) China rose, Petunia and Lemon
 - (3) Mustard, Cucumber and Primrose
 - (4) China rose, Beans and Lupin

Answer (2)



- 106. Among eukaryotes, replication of DNA takes place in :
 - (1) G₁ phase
 - (2) G₂ phase
 - (3) M phase
 - (4) S phase

Answer (4)

- 107. How many ATP and NADPH₂ are required for the synthesis of one molecule of Glucose during Calvin cycle?
 - (1) 12 ATP and 16 NADPH₂
 - (2) 18 ATP and 16 NADPH₂
 - (3) 12 ATP and 12 NADPH₂
 - (4) 18 ATP and 12 NADPH₂

Answer (4)

108. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A: The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R: Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from options given below:

- (1) A is correct but R is not correct
- (2) A is not correct but R is correct
- (3) Both A and R are correct and R is the correct explanation of A
- (4) Both A and R are correct but R is NOT the correct explanation of A

Answer (4)

- 109. Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
 - (1) Passive Transport
 - (2) Active Transport
 - (3) Osmosis
 - (4) Facilitated Diffusion

Answer (2)

- 110. Unequivocal proof that DNA is the genetic material was first proposed by
 - (1) Avery, Macleoid and McCarthy
 - (2) Wilkins and Franklin
 - (3) Frederick Griffith
 - (4) Alfred Hershey and Martha Chase

Answer (4)

- 111. Which of the following stages of meiosis involves division of centromere?
 - (1) Anaphase II
 - (2) Telophase
 - (3) Metaphase I
 - (4) Metaphase II



112. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1, 6-diphosphate.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

Answer (3)

- 113. Large, colourful, fragrant flowers with nectar are seen in
 - (1) Bat pollinated plants
 - (2) Wind pollinated plants
 - (3) Insect pollinated plants
 - (4) Bird pollinated plants

Answer (3)

- 114. The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year
 - (1) 1986
 - (2) 2002
 - (3) 1985
 - (4) 1992

Answer (4)

- 115. The thickness of ozone in a column of air in the atmosphere is measured in terms of :
 - (1) Decameter
 - (2) Kilobase
 - (3) Dobson units
 - (4) Decibels

Answer (3)

- 116. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as
 - (1) Development
 - (2) Senescence
 - (3) Differentiation
 - (4) Dedifferentiation

Answer (4)

117. Given below are two statements:

Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

Statement II: Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false
- (2) Statement I is incorrect but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (2)



- 118. What is the function of tassels in the corn cob?
 - (1) To disperse pollen grains
 - (2) To protect seeds
 - (3) To attract insects
 - (4) To trap pollen grains

Answer (4)

- 119. The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
 - (1) Diplotene
 - (2) Diakinesis
 - (3) Zygotene
 - (4) Pachytene

Answer (4)

- 120. Identify the pair of heterosporous pteridophytes among the following:
 - (1) Psilotum and Salvinia
 - (2) Equisetum and Salvinia
 - (3) Lycopodium and Selaginella
 - (4) Selaginella and Salvinia

Answer (4)

- 121. The reaction centre in PS II has an absorption maxima at
 - (1) 660 nm
 - (2) 780 nm
 - (3) 680 nm
 - (4) 700 nm

Answer (3)

- 122. In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are:
 - (1) Synergids, Zygote and Primary endosperm nucleus
 - (2) Synergids, antipodals and Polar nuclei
 - (3) Synergids, Primary endosperm nucleus and zygote
 - (4) Antipodals, synergids, and primary endosperm nucleus

Answer (1)

123. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Late wood has fewer xylary elements with narrow vessels.

Reason R: Cambium is less active in winters.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A



- 124. The phenomenon of pleiotropism refers to
 - (1) A single gene affecting multiple phenotypic expression
 - (2) More than two genes affecting a single character
 - (3) Presence of several alleles of a single gene controlling a single crossover
 - (4) Presence of two alleles, each of the two genes controlling a single trait

Answer (1)

- 125. Cellulose does not form blue colour with lodine because
 - (1) It does not contain complex helices and hence cannot hold iodine molecules
 - (2) It breaks down when iodine reacts with it
 - (3) It is a disaccharide
 - (4) It is a helical molecule

Answer (1)

- 126. Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
 - (1) Alfred Sturtevant
 - (2) Henking
 - (3) Thomas Hunt Morgan
 - (4) Sutton and Boveri

Answer (1)

127. Given below are two statements:

Statement I : The forces generated transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II: Transpiration cools leaf surfaces sometimes 10 to 15 degrees evaporative cooling.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

Answer (3)

- 128. Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright yellow colour
 - (2) Bright orange colour
 - (3) Bright red colour
 - (4) Bright blue colour

Answer (2)

- 129. Which micronutrient is required for splitting of water molecule during photosynthesis?
 - (1) Magnesium
 - (2) Copper
 - (3) Manganese
 - (4) Molybdenum



- 130. Which hormone promotes internode/petiole elongation in deep water rice?
 - (1) Ethylene
 - (2) 2, 4-D
 - (3) GA₃
 - (4) Kinetin

Answer (1)

- 131. Identify the correct statements:
 - A. Detrivores perform fragmentation.
 - B. The humus is further degraded by some microbes during mineralization.
 - C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
 - D. The detritus food chain begins with living organisms.
 - E. Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the **correct** answer from the options given below:

- (1) C, D, E only
- (2) D, E, A only
- (3) A, B, C only
- (4) B, C, D only

Answer (3)

- 132. In gene gun method used to introduce alien DNA into host cells, microparticles of _____ metal are used.
 - (1) Tungsten or gold
 - (2) Silver
 - (3) Copper
 - (4) Zinc

Answer (1)

- 133. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
 - (1) Histones
 - (2) Polysaccharides
 - (3) RNA
 - (4) DNA

Answer (4)

- 134. Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
 - (1) Alien species invasions
 - (2) Co-extinctions
 - (3) Habitat loss and fragmentation
 - (4) Over exploitation for economic gain

Answer (3)

- 135. Expressed Sequence Tags (ESTs) refers to
 - (1) All genes whether expressed or unexpressed.
 - (2) Certain important expressed genes.
 - (3) All genes that are expressed as RNA.
 - (4) All genes that are expressed as proteins.



SECTION-B

136. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A : In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R: Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the current explanation of A

Answer (1)

- 137. Identify the **correct** statements:
 - A. Lenticels are the lens-shaped openings permitting the exchange of gases.
 - B. Bark formed early in the season is called hard bark.
 - C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
 - D. Bark refers to periderm and secondary phloem.
 - E. Phellogen is single-layered in thickness.

Choose the correct answer from the options given below:

- (1) A, B and D only
- (2) B and C only
- (3) B, C and E only
- (4) A and D only

Answer (4)

138. Match List I with List II:

List I

- A. Oxidative decarboxylation
- B. Glycolysis
- C. Oxidative phosphorylation
- D. Tricarboxylic acid cycle

List II

- Citrate synthase
- II. Pyruvate dehydrogenase
- III. Electron transport system
- IV. EMP pathway

Choose the correct answer from the options given below:

- (1) A III, B I, C II, D IV
- (2) A II, B IV, C III, D I
- (3) A III, B IV, C II, D I
- (4) A II, B IV, C I, D III

Answer (2)

- 139. How many different proteins does the ribosome consist of?
 - (1) 40
 - (2) 20
 - (3) 80
 - (4) 60



140. Given below are two statements:

Statement I: Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (1)

141. Match List I with List II:

List I

- A. Cohesion
- B. Adhesion
- C. Surface tension
- D. Guttation

List II

- I. More attraction in liquid phase
- II. Mutual attraction among water molecules
- III. Water loss in liquid phase
- IV. Attraction towards polar surfaces

Choose the correct answer from the options given below:

- (1) A III, B I, C IV, D II
- (2) A II, B I, C IV, D III
- (3) A II, B IV, C I, D III
- (4) A IV, B III, C II, D I

Answer (3)

- 142. Which one of the following statements is **NOT** correct?
 - (1) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body
 - (2) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels
 - (3) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms
 - (4) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries **Answer (4)**
- 143. Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A : A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R: Internode of the shoot gets condensed to produce different floral appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A



- 144. Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Lipase
 - (2) Dinitrogenase
 - (3) Succinic dehydrogenase
 - (4) Amylase

Answer (3)

145. Match List I with List II:

	٠.		•
_	-	L	

- A. M Phase
- B. G₂ Phase
- C. Quiescent stage
- D. G₁ Phase

List II

- I. Proteins are synthesized
- II. Inactive phase
- III. Interval between mitosis and initiation of DNA replication
- IV. Equational division

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-I, D-III

Answer (1)

- 146. Which of the following combinations is required for chemiosmosis?
 - (1) Proton pump, electron gradient, ATP synthase
 - (2) Proton pump, electron gradient, NADP synthase
 - (3) Membrane, proton pump, proton gradient, ATP synthase
 - (4) Membrane, proton pump, proton gradient, NADP synthase

Answer (3)

- 147. Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.
 - A. Insertion of recombinant DNA into the host cell
 - B. Cutting of DNA at specific location by restriction enzyme
 - C. Isolation of desired DNA fragment
 - D. Amplification of gene of interest using PCR

Choose the correct answer from the options given below:

- (1) C, B, D, A
- (2) B, D, A, C
- (3) B, C, D, A
- (4) C, A, B, D



- 148. Which of the following statements are correct about Klinefelter's Syndrome?
 - A. This disorder was first described by Langdon Down (1866).
 - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
 - C. The affected individual is short statured.
 - D. Physical, psychomotor and mental development is retarded.
 - E. Such individuals are sterile.

Choose the **correct** answer from the options given below:

- (1) B and E only
- (2) A and E only
- (3) A and B only
- (4) C and D only

Answer (1)

149. Match List I with List II:

1:041			:-4	•
List I		ᆫ	ist	ш

- A. Iron I. Synthesis of auxin
- B. Zinc II. Component of nitrate reductase
- C. Boron III. Activator of catalase
- D. Molybdenum IV. Cell elongation and differentiation

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-II, B-III, C-IV, D-I

Answer (1)

150. Match List I with List II:

List I

	(Interaction)		(Species A and B)
A.	Mutualism	l.	+(A), 0(B)
B.	Commensalism	II.	-(A), 0(B)
C.	Amensalism	III.	+(A), -(B)
D.	Parasitism	IV.	+(A), +(B)

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-IV, B-II, C-I, D-III
- (4) A-IV, B-I, C-II, D-III

Answer (4)

List II



ZOOLOGY

SECTION-A

- 151. Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by
 - (1) Gastro-oesophageal sphincter
- (2) Pyloric sphincter

(3) Sphincter of Oddi

(4) Ileo-caecal valve

Answer (4)

152. Match List I with List II.

List I

A. Heroin

B. Marijuana

C. Cocaine

D. Morphine

List II

- Effect on cardiovascular system
- II. Slow down body function
- III. Painkiller
- IV. Interfere with transport of dopamine

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (3) A-II, B-I, C-IV, D-III

- (2) A-III, B-IV, C-I, D-II
- (4) A-I, B-II, C-III, D-IV

Answer (3)

- 153. Which of the following functions is carried out by cytoskeleton in a cell?
 - (1) Motility

(2) Transportation

(3) Nuclear division

(4) Protein synthesis

Answer (1)

154. Given below are two statements: one is labelled as Assertion A and other is labelled as Reason R.

Assertion A : Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below.

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.

Answer (2)

155. Given below are two statements:

Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is correct but Statement II is false. (2) Statement I is incorrect but Statement II is true.
- (3) Both **Statement I** and **Statement II** are true.
- (4) Both **Statement I** and **Statement II** are false.



156. Match List I with List II.

List I List II

- A. P-wave I. Beginning of systole
- B. Q-wave II. Repolarisation of ventricles
- C. QRS complex III. Depolarisation of atria
- D. T-wave IV. Depolarisation of ventricles

Choose the **correct** answer from the options given below:

(1) A-II, B-IV, C-I, D-III

(2) A-I, B-II, C-III, D-IV

(3) A-III, B-I, C-IV, D-II

(4) A-IV, B-III, C-II, D-I

Answer (3)

157. Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal).

Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false.

Answer (2)

158. Match List I with List II.

List I List II

- A. Ringworm
- I. Haemophilus influenzae
- B. Filariasis II. Trichophyton
- C. Malaria III. Wuchereria bancrofti
- D. Pneumonia IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

(1) A-III, B-II, C-I, D-IV

(2) A-III, B-II, C-IV, D-I

(3) A-II, B-III, C-IV, D-I

(4) A-II, B-III, C-I, D-IV

Answer (3)

159. Vital capacity of lung is .

(1) IRV + ERV + TV – RV

(2) IRV + ERV + TV

(3) IRV + ERV

(4) IRV + ERV + TV + RV

Answer (2)

- 160. Which of the following statements are correct regarding female reproductive cycle?
 - A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
 - B. First menstrual cycle begins at puberty and is called menopause.
 - C. Lack of menstruation may be indicative of pregnancy.
 - D. Cyclic menstruation extends between menarche and menopause.



Choose the most appropriate answer from the options given below.

- (1) A, B and C only
- (3) A and D only

- (2) A, C and D only
- (4) A and B only

Answer (2)

161. Match List I with List II.

List I

(Cells)

- Peptic cells Α.
- Goblet cells В.
- Oxyntic cells
- Hepatic cells

List II

(Secretion)

- Mucus
- II. Bile juice
- Proenzyme pepsinogen
- IV. HCl and intrinsic factor for absorption of vitamin B₁₂

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-I, C-III, D-IV

Answer (1)

Match List I with List II. 162.

List I

- Vasectomy
- В. Coitus interruptus
- Cervical caps
- Saheli

List II

- I. Oral method
- И. Barrier method
- III. Surgical method
- IV. Natural method

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (3) A-III, B-I, C-IV, D-II

- (2) A-IV, B-II, C-I, D-III
- (4) A-III, B-IV, C-II, D-I

Answer (4)

Match List I with List II. 163.

List I

- Α. Taenia
- Paramoecium В.
- Periplaneta
- D. Pheretima

List II

- I. Nephridia
- Contractile vacuole II.
- Flame cells III.
- Urecose gland IV.

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-I, C-IV, D-III
- (3) A-I, B-II, C-III, D-IV
- (4) A-I, B-II, C-IV, D-III



164. Which one of the following symbols represents mating between relatives in human pedigree analysis?



Answer (4)

- 165. Which of the following statements is correct?
 - (1) Presence of large amount of nutrients in water restricts 'Algal Bloom'
 - (2) Algal Bloom decreases fish mortality
 - (3) Eutrophication refers to increase in domestic sewage and waste water in lakes.
 - (4) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.

Answer (4)

- 166. Which of the following are NOT considered as the part of endomembrane system?
 - A. Mitochondria
 - B. Endoplasmic reticulum
 - C. Chloroplasts
 - D. Golgi complex
 - E. Peroxisomes

Choose the most appropriate answer from the options given below:

(1) A and D only(2) A, D and E only(3) B and D only(4) A, C and E only

Answer (4)

- 167. Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
 - (1) Mole, Flying squirrel, Tasmanian tiger cat (2) Lemur, Anteater, Wolf
 - (3) Tasmanian wolf, Bobcat, Marsupial mole (4) Numbat, Spotted cuscus, Flying phalanger

Answer (4)

168. Given below are two statements:

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (2)



169. Given below are two statements:

Statement I: Electrostatic precipitator is most widely used in thermal power plant.

Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

Answer (1)

170. Match List I with List II.

List I	List II
A. CCK	I. Kidney
B. GIP	II. Heart
C. ANF	III. Gastric gland
D. ADH	IV. Pancreas

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-II, C-III, D-I
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-II, C-IV, D-I

Answer (3)

171. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

Answer (1)

- 172. In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
 - (1) Basophils
 - (2) Eosinophils
 - (3) T_H cells
 - (4) B-lymphocytes



173. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

Answer (4)

174. Given below are two statements:

Statement I: RNA mutates at a faster rate.

Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (3)

175. Match List I with List II with respect to human eye.

• -	4

A. Fovea

- List II
- Visible coloured portion of eye that regulates diameter of pupil.

B. Iris

 External layer of eye formed of dense connective tissue.

C. Blind spot

III. Point of greatest visual acuity or resolution.

D. Sclera

IV. Point where optic nerve leaves the eyeball and photoreceptor cells are absent.

Choose the **correct** answer from the options given below:

(1) A-I, B-IV, C-III, D-II

(2) A-II, B-I, C-III, D-IV

(3) A-III, B-I, C-IV, D-II

(4) A-IV, B-III, C-II, D-I

Answer (3)

176. Given below are two statements:

Statement I: Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (4)



Match List I with List II.

List I

- Gene 'a' Α.
- B. Gene 'y'
- C. Gene 'i'
- Gene 'z' D.

List II

- I. β-galactosidase
- II. Transacetylase
- III. Permease
- Repressor protein IV.

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (3) A-II, B-I, C-IV, D-III

- (2) A-III, B-I, C-IV, D-II
- (4) A-II, B-III, C-IV, D-I

Answer (4)

178. Given below are two statements:

Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (3)

Match List I with List II.

List I (Type of Joint)

- Cartilaginous Joint Α.
- Ball and Socket Joint B.
- C. Fibrous Joint
- D. Saddle Joint

List II (Found between)

- 1. Between flat skull bones
- H. Between adjacent vertebrae in vertebral column
- III. Between carpal and metacarpal of thumb
- IV. Between Humerus and Pectoral girdle

Choose the **correct** answer from the options given below:

(1) A-I, B-IV, C-III, D-II

(2) A-II, B-IV, C-III, D-I

(3) A-III, B-I, C-II, D-IV

(4) A-II, B-IV, C-I, D-III

(Name of interaction)

List II

I.

II.

III.

IV.

Answer (4)

180. Match List I with List II.

List I

(Interacting species)

- A. A Leopard and a Lion in a forest/grassland
- B A Cuckoo laying egg in a Crow's nest
- C. Fungi and root of a higher plant in Mycorrhizae
- D. A cattle egret and a Cattle in a field

Choose the **correct** answer from the options given below.

- (1) A-III, B-IV, C-I, D-II
- (3) A-I, B-II, C-III, D-IV

(2) A-II, B-III, C-I, D-IV

Competition

Mutualism

Brood parasitism

Commensalism

(4) A-I, B-II, C-IV, D-III



181.	Whi	ch of the following is not a cloning vector?						
	(1)	pBR322	(2)	Probe				
	(3)	BAC	(4)	YAC				
	Ans	swer (2)						
182.	Bro	oad palm with single palm crease is visible in a person suffering from						
	(1)	Klinefelter's syndrome						
	(2)	Thalassemia						
	(3)	Down's syndrome						
	(4)	Turner's syndrome						
	Ans	swer (3)						
	Sol	. Down's syndrome is caused by an additional cop	oy of	chromosome number 21. Its symptoms include-				
		a. Broad palm with characteristic palm crease						
		b. Short statured with small round head						
		c. Furrowed tongue and partially open mouth, et	c.					
183.		ch one of the following techniques does not serv y treatment?	e the	e purpose of early diagnosis of a disease for its				
	(1)	Polymerase Chain Reaction (PCR) technique						
	(2)	Enzyme Linked Immuno-Sorbent Assay (ELISA)	tech	nique				
	(3)	Recombinant DNA Technology						
	(4)	Serum and Urine analysis						
	Ans	swer (4)		.6				
184.	Rad	Radial symmetry is NOT found in adults of phylum						
	(1)	Coelenterata	(2)	Echinodermata				
	(3)	Ctenophora	(4)	Hemichordata				
	Ans	swer (4)						
185.		ch one of the following common sexually transmitte treated properly?	ed di	seases is completely curable when detected early				
	(1)	Hepatitis-B	(2)	HIV Infection				
	(3)	Genital herpes	(4)	Gonorrhoea				
	Ans	swer (4)						
		SECT	ION	-В				
186.	In c	ockroach, excretion is brought about by-						
	A.	Phallic gland						
	B.	Urecose gland						
	C.	Nephrocytes						
	D.	Fat body						
	E.	Collaterial glands						
		oose the correct answer from the options given be	low :					
		B, C and D only	(2)	B and D only				
		A and E only	(4)	A, B and E only				
	Ans	swer (1)						



187. Match List I with List II.

List I

- A. Mast cells
- B. Inner surface of bronchiole
- C. Blood
- D. Tubular parts of nephron

List II

- I. Ciliated epithelium
- II. Areolar connective tissue
- III. Cuboidal epithelium
- IV. Specialised connective tissue

Choose the **correct** answer from the options give below:

- (1) A-II, B-I, C-IV, D-III
- (3) A-I, B-II, C-IV, D-III

- (2) A-III, B-IV, C-II, D-I
- (4) A-II, B-III, C-I, D-IV

Answer (1)

188. Match List I with List II.

List I

List II

- A. Logistic growth
- B. Exponential growth
- 0 = "

D. Stable age pyramid

- C. Expanding age pyramid
- I. Unlimited resource availability condition
- II. Limited resource availability condition
- III. The percent individuals of pre-reproductive age is largest followed by reproductive and post reproductive age groups
- IV. The percent individuals of pre-reproductives and reproductive age group are same

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-III, D-IV

- (2) A-II, B-IV, C-III, D-I
- (4) A-II, B-III, C-I, D-IV

Answer (3)

- 189. Which of the following are NOT under the control of thyroid hormone?
 - A. Maintenance of water and electrolyte balance
 - B. Regulation of basal metabolic rate
 - C. Normal rhythm of sleep-wake cycle
 - D. Development of immune system
 - E. Support the process of RBCs formation

Choose the correct answer from the options given below:

(1) C and D only

(2) D and E only

(3) A and D only

(4) B and C only

Answer (1)

- 190. Which of the following statements are correct regarding skeletal muscle?
 - A. Muscle bundles are held together by collagenous connective tissue layer called fascicle.
 - B. Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
 - C. Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
 - D. M line is considered as functional unit of contraction called sarcomere.

Choose the most appropriate answer from the options given below:

(1) A, C and D only

(2) C and D only

(3) A, B and C only

(4) B and C only

Answer (4)



- 191. Select the correct statements with reference to chordates.
 - A. Presence of a mid-dorsal, solid and double nerve cord.
 - B. Presence of closed circulatory system.
 - C. Presence of paired pharyngeal gill slits.
 - D. Presence of dorsal heart
 - E. Triploblastic pseudocoelomate animals.

Choose the correct answer from the options given below:

- (1) B, D and E only
- (2) C, D and E only
- (3) A, C and D only
- (4) B and C only

Answer (4)

- 192. The unique mammalian characteristics are:
 - (1) hairs, pinna and indirect development
 - (2) pinna, monocondylic skull and mammary glands
 - (3) hairs, tympanic membrane and mammary glands
 - (4) hairs, pinna and mammary glands

Answer (4)

- 193. Select the correct statements.
 - A. Tetrad formation is seen during Leptotene.
 - B. During Anaphase, the centromeres split and chromatids separate.
 - C. Terminalization takes place during Pachytene.
 - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
 - E. Crossing over takes place between sister chromatids of homologous chromosome.

Choose the correct answer from the options given below:

- (1) A, C and E only
- (2) B and E only
- (3) A and C only
- (4) B and D only

Answer (4)

194. Given below are two statements:

Statement I: During G₀ phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes duplication during S phase of interphase.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct
- (4) Both **Statement I** and **Statement II** are incorrect.

Answer (2)



195.	Which of the following statements are correct?								
	A.	An excessive loss of body fluid from the body s	witche	es off osmoreceptors.					
	B.	ADH facilitates water reabsorption to prevent di	iuresis	3.					
	C.	ANF causes vasodilation.							
	D.	ADH causes increase in blood pressure.							
	E.	ADH is responsible for decrease in GFR.							
	Cho	Choose the correct answer from the options given below:							
	(1)	A, B and E only	(2)	C, D and E only					
	(3)	A and B only	(4)	B, C and D only					
	Ans	swer (4)							
196.	Whi	ich of the following is characteristic feature of coo	ckroac	h regarding sexual dimorphism?					
		Presence of sclerites	(2)						
	(3)	Dark brown body colour and anal cerci	` '	Presence of anal styles					
	. ,	swer (4)	` ,	•					
197.		e parts of human brain that helps in regulation of e, fear etc. are:	sexua	al behaviour, expression of excitement, pleasure					
	·	Brain stem and epithalamus	(2)	Corpus callosum and thalamus					
	` '	Limbic system and hypothalamus	(4)	Corpora quadrigemina and hippocampus					
	. ,	swer (3)	(·)	Solpora quadingorimia and impressampus					
198.									
190.		Which one of the following is the sequence on corresponding coding strand, if the sequence on mRN/ formed is as follows 5'AUCGAUCGAUCGAUCGAUCGAUCGAUCG 3'?							
	(1)	5' ATCGATCGATCGATCGATCGATCG	3'						
	(2)	3' ATCGATCGATCGATCGATCGATCG	5'	5					
	(3)	(3) 5' UAGCUAGCUAGCUAGCUAGC 3'							
	(4)	(4) 3' UAGCUAGCUAGCUAGCUAGC 5'							
	Ans	swer (1)							
199.	Whi	Which of the following statements are correct?							
	A. B. C. D. E.	Basophils are most abundant cells of the total was Basophils secrete histamine, serotonin and hep Basophils are involved in inflammatory responsions Basophils have kidney shaped nucleus Basophils are agranulocytes	oarin						
	Cho	Choose the correct answer from the options given below:							
	(1)	B and C only	(2)	A and B only					
	(3)	D and E only	(4)	C and E only					
	Ans	swer (1)							
200.	Whi	Which one of the following is NOT an advantage of inbreeding?							
	(1)	(1) Elimination of less desirable genes and accumulation of superior genes takes place due to it.							
	(2)								
	(3)	(3) It decreases homozygosity.							
	(4) It exposes harmful recessive genes but are eliminated by selection.								
	Answer (2)								
		-							